

# STATE OF WASHINGTON DEPARTMENT OF ECOLOGY



# REPORT OF EXAMINATION TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

| Surfa  | ice Water (Issu | aed in accordance with the provisions<br>adments thereto, and the rules and reg | of Chapter 117, Laws of Wagulations of the Department  | ashington for 1917, and of Ecology.) |                  |          |
|--|-----------------|---|--|--------------------------------------|------------------|----------|
| Grou   | nd Water (Issu  | ued in accordance with the provisions ndments thereto, and the rules and reg    | of Chapter 263, Laws of Wagulations of the Department  | ashington for 1945, and of Ecology.) |                  |          |
| PRIORITY DATE  | APPLICA         | TION NUMBER   | PERMIT NUMBER  | CE                                   | ERTIFICATE NUMBE | R        |
| November 6, 2000   | G2-29           | 958   |  |                                      |                  |          |
| NAME<br>Bronson Country Beach Clu                              | b               |   | WINDOWS WITH THE PROPERTY OF T |                                      | velta i il       |          |
| ADDRESS (STREET)   |                 | (CITY)  |  | (STATE)                              |                  | CODE)    |
| 4325 119th Avenue SE   |                 | Tenino  |  | Washington                           | 98               | 589      |
|  |                 |   |  |                                      |                  |          |
|  |                 |   |  |                                      |                  |          |
|  |                 | PUBLIC WATERS   | TO BE APPROP   | RIATED                               |                  |          |
| SOURCE<br>2 Wells  |                 |   |  |                                      |                  |          |
| TRIBUTARY OF (IF SURFACE WATERS)                               |                 |   | 4/-  |                                      |                  |          |
| MAXIMUM CUBIC FEET PER SECOND                                  |                 | MAXIMUM GALLONS PE  | ER MINUTE  | MAXIMUM ACRE                         | FEET PER YEAR    |          |
| QUANTITY, TYPE OF USE, PERIOD OF US                            |                 | 150   |  | 44*                                  |                  |          |
| 44 Acre-feet per year  | B               | Multiple domestic s   | upply  | Year-round                           | l, as needed     |          |
| *This water right is supplem                                   | ental to WRC #  | 117944.   |  |                                      |                  |          |
| 9  |                 |   |  |                                      |                  |          |
|  |                 |   |  |                                      |                  |          |
|  |                 | 2   |  |                                      |                  |          |
|  |                 | LOCATION OF DIVE  | RSION/WITHDE   | RAWAL                                |                  |          |
| APPROXIMATE LOCATION OF DIVERSION 650 feet South and 1250 feet |                 | ter of Section 32.  |  |                                      |                  |          |
|  |                 |   |  |                                      |                  |          |
| LOCATED WITHIN (SMALLEST LEGAL SU                              | JBDIVISION)     | SECTION   | TOWNSHIP N.  | RANGE, (E. OR W.) W.M.               | W.R.I.A.         | COUNTY   |
| NW1/4 SE1/4  |                 | 32  | 17   | 1W                                   | 13               | Thurston |
|  |                 |   |  |                                      |                  |          |
|  |                 |   |  |                                      |                  |          |
|  |                 | RECORDED PLA  | TTED PROPER  | TY                                   |                  |          |
| LOT  | BLOCK           |   | OF (GIVE NAME OF P   |                                      |                  |          |
|  |                 |   |  |                                      |                  |          |
|  |                 |   |  |                                      |                  |          |

# LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

Area served by the Bronson Country Beach Club Water System as described in their August 2000, located within the Southeast quarter of Section 32, T. 17 N., R. 1 W.W.M.

# DESCRIPTION OF PROPOSED WORKS

Two wells, 8-inch casing to 171 feet and 177 feet deep.

| BEGIN PROJECT BY THIS DATE: | COMPLETE PROJECT BY THIS DATE: | WATER PUT TO FULL USE BY THIS DATE: |
|-----------------------------|--------------------------------|-------------------------------------|
| Started                     | December 1, 2002               | December 1, 2006                    |

## REPORT

# **BACKGROUND:**

On November 6, 2000 Daniel Howard, on behalf of the Bronson Country Beach Club, applied to the Department of Ecology (Ecology) for a permit to appropriate public ground water from a well at a rate of 250 gallons per minute (gpm) for multiple domestic supply. The site is located next to Offut Lake within the Deschutes River Water Resource Inventory Area (WRIA 13). The application number is G2-29958.

A legal notice of the proposed appropriation was published, and no protests were received.

On September 21, 2000 the Department of Ecology received a letter from Bill Liechty of the Washington Department of Health requesting that the application be considered for expedited review. The Department of Health is concerned that the existing source, a 15-foot deep dug well, is posing an acute health risk to the residents of the community. The water supply has been plagued by fecal coliform bacteria contamination and the system is in need of a new source.

Based on my investigation, and the provisions of Chapters 90.03 and 90.44 RCW, I recommend the issuance of a water right permit.

# **INVESTIGATION:**

In consideration of this application I reviewed the information submitted with the application, area well logs, historical documentation on the pre-code use of the water system, photographs, applicable geological reports, and the Bronson Beach Club water system plan. On November 5, 2001, I met with Daniel Howard on the site.

The Bronson Country Beach Club is located on Offut Lake, five miles northeast of Tenino in Thurston County. The area is rural in nature, with residential development concentrated around the lake. Offut Lake Road bounds the service area to the south and Offut Lake to the north. The service area is approximately 190 acres and includes 121 platted lots. However, since single owners own multiple lots, it is anticipated that the development will contain 99 hook-ups at full build out.

The topography within the service area slopes moderately from Offut Lake at an elevation of 230 feet to an elevation of 275 feet above mean sea level near Offut Lake Road.

The existing Bronson Country Beach Club water system was constructed in 1970 and 1971 to serve the Bronson Country development. The water system consists of the original 15-foot dug well with three well pumps, three chlorinators, two 300-gallon pressure storage tanks and the distribution system. The water system currently serves 72 single-family residential connections.

The well that is currently being used is a dug well approximately 15 feet deep and about 8 feet in diameter. The well is located 50 feet from the lakeshore at an elevation of only 3 feet above normal lake level. This well is housed in a small red pumphouse, along with the distribution and treatment equipment. Once the new wells are brought on line, the old well will be decommissioned.

# **Existing Water Rights**

Withdrawals from the current well are authorized under ground water claim #117944. This claim lists the date of first putting water to beneficial use as 1914 when the well was constructed to serve the original Bronson Resort. Given the documentation regarding the precode historical use of this source, it is likely that this claim represents a vested water right. However, this claim has not been adjudicated, and only the formal legal process can confirm the existence and extent of a pre-code water right.

The quantities claimed on the 1972 filing were 100 gpm, and 840 acre-feet – of which 100 acre-feet were represented as actually being used. The purpose of use was listed as "domestic". Water supplied the needs of the Bronson Resort.

The Bronson Resort was opened in May of 1915 and operated for five decades until its closure in 1969 to make way for the current residential development. The Bronson Resort was a favorite destination for the Seattle/Portland area, and thousands of visitors made the trip to enjoy the extensive facilities which included a large dance hall, ice cream parlor, recreational cabins, tent camping sites, bathhouses and swimming facilities. It is plausible that as much as 100 acre-feet could have actually been used, especially given the peak summer use.

# New Wells

While drilling records for the area indicate the presence of a water-bearing layer at a fairly shallow depth, the subject wells were drilled to a greater depth to reduce the risk of contamination. Two wells were constructed on the site in July of 2001. Well 1 (AGH 139) is 171 feet deep, and Well 2 (AGH 140) is 177 feet deep. The wells are located about 6 feet apart, and are located immediately adjacent to the existing pumphouse. Both of the wells were constructed with an 8-inch casing and are completed in fractured bedrock.

While the wells are fairly productive given the aquifer material – fractured shale and blue basalt, the water quality in the wells is poor (sodium and chloride), and will need to be treated. The wells were pump tested and it was determined that combined, they can produce no more than 150 gpm.

# Impacts to Surface Water

Chapter 173-513 WAC establishes an instream resources protection program for the Deschutes River basin (Water Resource Inventory Area WRIA 13). The WAC closes the upper reaches of the Deschutes River (above the falls) year-round and the lower reach mid-April through October 1, and establishes minimum instream flow requirements for the lower reach of the river for the remainder of the year.

# Report Continued

Ecology's watershed assessment for WRIA 13 (OFTR 95-10), includes analyses of flow records for the Deschutes River. For the period of minimum instream flows, the exceedance curves indicate that flows on any given day are "violated" on average more often than once in every ten years. Ecology will not issue additional consumptive water rights in areas of the basin where it is likely that the appropriation will exacerbate already low instream flows.

Offut Lake is spring-fed, and drains northeasterly towards the Deschutes River. The lake measures 192 acres and only 25 feet deep at its maximum point. Given that lake is fed, in part, from ground water, it is likely that water from the shallower water bearing zones discharges directly into Offut Lake as springs.

Water in deeper water-bearing zones, (beneath the till and above the bedrock) follows a more regional gradient, and likely discharges into the Deschutes River at points further downstream. Given the depth of these wells it is unlikely that they will have a direct effect on the amount of water discharging to Offut Lake. In general, the use of these deeper wells, as an alternative to the current use of shallow ground water, should have a lesser effect on the surface water system.

## Neighboring Water Users

A review of Ecology's water rights database indicates that only one other water system in the Offut Lake vicinity holds ground water certificates. Certificates 5430 and G2-20304 were issued for the North Offut Lake Water System and authorize a total of 150 gpm, and 47 acre-feet per year for community domestic supply from a 20-foot well. There are numerous ground water claims that have been filed to document domestic wells in the area. A review of the 15 wells that are located within Section 32, Township 17 North, Range 1 W.WM, indicated that 13 of these areas wells appear to be completed at a depth of less than 60 feet, only two were deeper than 150 feet. It also likely that some of the older homes are connected to wells that, like the original Bronson well, are quite shallow (less than 20 feet in depth), and are hand dug.

Given the sparse distribution of deeper wells in this area it is unlikely that Bronson Beach's use of these wells will impair other water users.

## Water Demand

The water needs of the Bronson Country Beach Club should not exceed 400 gallons per day on average. For the 99 hook-ups, an allocation of 44 acre-feet will be needed. The source is currently metered, and Bronson Beach will need to record their water use.

# **FINDINGS AND CONCLUSION:**

- 1. This well is completed in an aquifer system that discharges to the Deschutes River.
- 2. Under the provisions of WAC 173-513 Instream flows have been established for the drainage limiting further consumptive appropriations that might constitute impairment.
- 3. The Bronson Beach Water System currently holds ground water rights in the form of a presumed pre-code vesting water right. Water on the site has been in continuous use.
- 4. The shift of ground water production from the shallow, hand-dug well to the new 171-foot plus wells will have less of a direct effect on surface water systems within the watershed.
- 5. This appropriation is for a beneficial use, and will not impair existing rights or be detrimental to public welfare.

# **RECOMMENDATION:**

I recommend that this application be approved and a permit be issued to allow appropriation of 150 gallons per minute from two wells, 44 acre-feet per year for multiple domestic supply. The period of use is year-round as needed.

This permit is subject to the following provisions.

# **PROVISIONS:**

"Nothing in this approval shall be construed as lessening or enlarging any water rights represented by Water Right Claim No. 117944. The water use authorized under this Water Right Claim shall be considered supplemental to any water rights confirmed for said claim as a result of a general adjudication through Superior Court, should adjudication be undertaken."

The water appropriated under this application will be used for public water supply. The State Board of Health rules require public water supply owners to obtain written approval from the Office of Water Supply, Department of Health, 1112 SE Quince Street, PO Box 47890, Olympia, Washington 98504-7890, prior to any new construction or alterations of a public water supply system.

The <u>applicant</u> is advised that the quantity of water allocated by this permit may be reduced at the time of final certification to reflect system capacity and actual usage.

An approved metering device shall be installed and maintained in accordance with RCW 90.03.360, 90.44.450 and WAC 508-64-020 through –040, and WAC 508-12-030. Meter readings shall be recorded at least monthly.

Issuance of this water right is subject to the implementation of the minimum requirements established in the <u>Conservation Planning Requirements</u>, <u>Guideline and Requirements for Public Water Systems Regarding Water Use Reporting</u>, <u>Demand Forecasting Methodology</u>, <u>and Conservation Programs</u>, July 1994, and as revised.

Under RCW 90.03.005 and 90.54.020(6), conservation and improved water use efficiency must be emphasized in the management of the State's water resources, and must be considered as a potential new source of water. Accordingly, as part of the terms of this water right,

# Report Continued

the applicant shall prepare and implement a ver conservation plan approved by Department of Tealth. The standards for such a plan may be obtained from either the Department of Health or the Department of Ecology.

The Water Resources Act of 1971, Chapter 90.54 RCW specifies certain criteria regarding utilization and management of the waters of the State in the best public interest. Favorable consideration of this application has been based on sufficient waters available, at least during portions of the year. However, it is pointed out to the applicant that this use of water may be subject to regulation at certain times, based on the necessity to maintain water quantities sufficient for preservation of the natural environment.

Under RCW 90.44.250 and 90.54.030, the Department of Ecology is directed to become informed about all aspects of the water resources of the state. The Department is authorized to make such investigations as may be necessary to determine the location, extent, depth, volume, and flow of all groundwaters within the state. Accordingly, the applicant shall monitor and provide an annual summary of the previous year's monthly water level data and monthly totals of water pumped for this well. The summary shall be submitted in tabular format to Ecology's Southwest Regional Office annually, during the month of February, or more frequently if requested by the Department.

REPORTED BY: Jul & Wall Date: December 27, 2001

The statutory permit fee for this application is \$20.00.

## FINDINGS OF FACT AND DECISION

Upon reviewing the above report, I find all facts, relevant and material to the subject application, have been thoroughly investigated. Furthermore, I find water is available for appropriation and the appropriation as recommended is a beneficial use and will not be detrimental to existing rights or the public welfare.

Therefore, I ORDER a permit be issued under Ground Water Application Number G2-29958, subject to existing rights and indicated provisions, to allow appropriation of public ground water for the amount and uses specified in the foregoing report.

Signed at Olympia, Washington, this 27th day of December , 2001

J. Mike Harris

Mule

Water Resources Supervisor Southwest Regional Office



# **ROE Supporting Docs**

Document Type Code - 7 (Bar-code C39HrP36DITt, Font 48)





# Report of Examination Routing Slip

| File No.                                 | Y:/ Jier/ ROE/               | G229958            |   |
|--|------------------------------|--------------------|---|
| Letter No./Fee                           | EXAM 2                       |                    | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| Author  Hydrogeologist                   | Initial                      | Date 11/14/0 (     |   |
| Reviewers                                | Alch                         | 11/19/2001         |   |
| Proofed Signed by Author                 | ₩.                           | 12/18/01           | •                                       |
| Section Supervisors<br>Approval and Sig. |                              |                    | • .                                     |
| Tracking                                 |                              |                    | •                                       |
| Mail Copies of Repo                      | nt To: (Permit Writer list - | include addresses) |   |
| Enclosure: (list)                        | *                            |                    |   |

Mailed Originals and cc's TH 12/27/01.

# \*\* WATER RIGHTS APPLICATION TRACKING SYSTEM \*\*

| MAJ                           | S                         |  |
|-------------------------------|---------------------------|--|
| OR.                           | ou t                      |  |
| DO                            | M                         | (  |
| C                             | es                        |  |
| Š                             | _                         | 1  |
| Ä                             | Reg                       |  |
| TA                            | jic                       |  |
| BUL                           | mal                       |  |
| AR                            | 9                         |  |
| MAJOR DOCUMENT TABULAR REPORT | Southwest Regional Office |  |
| -                             |                           | The second contract of |
|                               |                           |  |

| CONTROL           | TYPE/      | BUSINESS/PERSON NAME | PRIORITY WRIA | WRIA     | COUNTY   | Ø.   | ACRE PURPOSES  | TRS                            | SOURCE                      | QUAD               |
|-------------------|------------|----------------------|---------------|----------|----------|------|----------------|--------------------------------|-----------------------------|--------------------|
| S2-*13284ABBCWRIS | æ          | HOOKER A H           | 2/04/55       | 11       | THURSTON | 1.50 | 300.0 ST·IR·   | T17N/R02 E-27<br>T17N/R02 E-28 | NISQUALLY RIVER             | SW/4<br>N/2SE/4    |
| S2-*13592CWRIS    | CE         | FULTON J             | 9/14/55       | 11       | PIERCE   | .90  | 40.0 IR·FS·    | T17N/R04 E-27<br>T17N/R04 E-27 | TWENTYSEVEN LAKE            | NE/4SW/4           |
| S2-*13823AWCWRIS  | CE         | SIMONS R R           | 4/26/56       | 11       | LEWIS    | .01  | DS:            | T14N/R07 E-06<br>T14N/R07 E-06 | UNNAMED STREAM<br>BIG CREEK | SW/4NE/4           |
| S2-*13873CWRIS    | Œ          | MASON V J            | 5/28/56       | 1        | THURSTON | .40  | 80.0 IR·       | T16N/R01 E-01<br>T16N/R01 E-01 | UNNAMED POND                | E/2SW/4<br>W/2SE/4 |
| S2-*13906CWRIS    | Œ          | BUILDERS BRICK CO    | 6/06/56       | =        | PIERCE   | .10  | CI·            | T17N/R04 E-26                  | TWENTYFIVE MILE C           | NE/4SE/4           |
| S2-*13933CWRIS    | CE         | ENWALL O             | 6/20/56       | -2       | PIERCE   | .40  | 40.0 IR·       | T16N/R03 E-14                  | KREGER LAKE                 | SW/4NE/4           |
| S2-*13990CWRIS    | Œ          | HOOKER A H           | 7/26/56       | 3        | PIERCE   | .60  | 120.0 IR·      | T17N/R02 E-21                  | NISQUALLY RIVER             |                    |
| S2-*14106CWRIS    | æ          | LITTLEFIELD T M      | 10/03/56      | =        | THURSTON | .09  | 16.0 ST·IR·    | T17N/R01 E-14                  | THOMPSON CREEK              |                    |
| S2-*^^198C        | Œ          | LONG E A             | 1/17/57       | =        | THURSTON | .50  | 100.0 IR·      | T17N/R02 E-34                  | NISQUALLY RIVER             |                    |
| S2-*14245CWRIS    | æ          | HOOKER A H           | 3/04/57       |          | PIERCE   | 1.00 | 200.0 IR·      | T17N/R02 E-16                  | UNNAMED SPRING              |                    |
| S2-*14254CWRIS    | Œ          | VANCLEAVE R          | 3/06/57       | 3        | PIERCE   | .01  | DS:            | T15N/R07 E-30                  | UNNAMED SPRING              | SE/4NE/4           |
| S2-*14368ALCWRIS  | <b>R</b> - | RODY L B             | 6/13/57       | 1        | PIERCE   | . 20 | 40.0 IR·FS·DM· | T17N/R04 E-34<br>T16N/R04 E-03 | UNNAMED SPRING              | S/2SE/4SE/4        |
| S2-*14414CWRIS    | æ          | DANIELSON J M        | 7/18/57       | <b>1</b> | PIERCE   | .01  | DS:            | T17N/R04 E-26                  | UNNAMED SPRING              | NM/4NE/4SW/4       |
| S2-*14466CWRIS    | Œ          | MCGOWAN M            | 8/27/57       | =        | PIERCE   | .02  | ST·DS·         | T17N/R04 E-34                  | UNNAMED SPRING              | 1/MS4/MN           |
| S2-*14941CWRIS    | Œ          | GESKOW SAM ET UX     | 7/28/58       | 3        | PIERCE   | .01  | DS:            | T16N/R04 E-11                  | UNNAMED STREAM              |                    |



# Affidavit of Publication

STATE OF WASHINGTON County of Thurston County

Legal #3383
STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
NOTICE OF APPLICATION
TO APPROPRIATE
PUBLIC WATERS
TAKE NOTICE:
That Bronson Country Beach
Club of Tenino, Washington on
November 6, 2000, under Application No. G2-29958 filed
for a permit to appropriate
public waters, subject to existing rights, from a well in the
amount of 250 gallons per
minute as needed year round
each year for community domestic supply. The source of
the proposed appropriation is
located within the NW1/4
SE1/4 of Section 32, T. 17
N., R. 1 W.W.M., of Thurston
County, Washington.
Protests of objections to approval of this application must
include a detailed statement of
the basis for objections; protests must be accompanied by
a two dollar (S2.00) recording
fee and filed with the Department of Ecology, at the ad-

dress show below, within thirty (30) days from December 22, 2000.
Department of Ecology PO Box 47775 Olympia, Washington 98504-7775

Publish: December 15, 22, 2000

| ž.                          | S. • 0   | '01     | JAN   | 29   | Ai1:29     |      |
|-----------------------------|----------|---------|-------|------|------------|------|
| The undersigned being       | first du | uly swo | orn o | n oc | ath depose | ed   |
| vs: That she is the Princip | al Cle   | rk of T | ne O  | lvm  | pian which | n is |

and legal newspaper printed and published in the City of Olympia, Thurston County, Washington: of general circulation in said City, County and State;

that the in the case of A

of which the attached is a printed copy, was published in said newspaper:

15 th day of Selenber the 22nd day of Al 2000 2000 the day of\_ 2000 the day of 2000 \_day of\_\_ the 2000 \_day of\_ \_day of\_ 2000 the

that the said newspaper was generally circulated during all of said time, and has been published for more than six months prior to the dates of the publication of this legal document, and that said notice was published in the newspaper proper and not in supplement form.

The amount of fee charged for this publication \$135

Principal Clerk

Subscribed and sworn to me this\_

appleler 2000.

The Olympian has been appointed as a legal newspaper by order of the Superior Court of the State of Washington for Thurston County, dated July 10, 1941, in the county in which said newspaper is published in accordance with RCW 65.16.020 and RCW 63.16.040.

Notary Public in and for the State of Washington residing at Olympia, Thurston County, Washington

is in compliance with RCW 63.16.030 and Sec. 3, Chapter 34, Laws of 1977.

Sheri -

For any reason you need to contact me,

I am at:

WK# 236-4625 45054 WILL HM # 264-2336


Thank you for your prompt assistance.

Danny Howard, President Bronson Country Beach Club

1915-1969 - Bronson Resort - Pance Hall 1930

150 total





# PUBLIC HEALTH AND SOCIAL SERVICES DEPARTMENT

Patrick M. Libby, Director Diana T. Yu, MD, MSPH Health Officer

April 7, 2000

Danny Howard
Bronson Country Beach Club
4325 119<sup>th</sup> Ave. SE
Tenino, WA 98589

Subject: Geology Near the Bronson Country Beach Club Water System (17N/1W/32)

Dear Mr. Howard:

I did more research into the geology you would likely find under the two well sites you are considering. Based mainly on three well logs and the regional geologic map, I believe that there is a buried ridge of bedrock beneath the Bronson Country Beach Club. This is shown on the map labeled Figure 1. The point labeled "70" is the site of the well log labeled "Well #1", which is close to what I believe is the crest of this ridge. Bedrock was encountered at 70 feet below the ground surface at point "70".

The points marked "168" and "143+" are the locations of wells where bedrock is found at 168 feet and greater than 143 feet. These two well logs show that the ridge appears to be fairly narrow with steep sides.

I believe this buried ridge is the subsurface extension of a north-south trending ridge located just south of Offutt Lake. This is labeled "The ridge" on Figure 2. This hypothesis of a buried ridge is based on the best available information, which is rather limited. But I believe that this is the best explanation for the well data.

If you were to drill a new well on lot #65800300700 (marked "proposed alternate wellsite" on Figure 1), you would probably find geology very similar to that at well #1. Bedrock would probably be slightly deeper than 70 feet. There probably would not be an adequate aquifer between the "clay and gravel" (glacial hardpan, or till) and the underlying bedrock. There is a significant chance that a well drilled at this site would not produce adequate water to supply the needs of your 70+ connections.



If you drill a new well near your existing dug well on the lake shore ("existing well" on Figure 1), bedrock will probably be found deeper than 70 feet. I believe it will most likely be deeper than 100 feet. At this site you probably will find an adequate aquifer between the till layer and the underlying bedrock.

Well log #2, located west of this site, shows clay layers between 55 and 120 feet. If you do choose to drill at your present site, you should have the driller note the geological materials with particular care and test for water-bearing zones frequently. This site may require very careful development of the well to ensure it has adequate capacity for your needs.





Figure 2 - USGS topographic map of the Offutt Lake area showing the ridge south of Offutt Lake.

Because of the till and clay layers

that appear to be present under your present site, a deeper well should not be classified as "ground water under the direct influence of surface water" (GWI). Offutt Lake is very shallow (Figure 3), and a well deeper than 100 feet should draw in water only from the aquifer and not from the lake.

Figure 4 shows what the US Geological Survey has determined about the flow directions in the aquifer between the till and the bedrock (the Vashon advance outwash or Qva). West of the lake where they had adequate data, they show ground water converging toward the lake from the norrth and south. Based on other information, I believe ground water near your site is mainly flowing northward under the lake. This is another factor that would help keep a new well drilled at your present site from being "ground water under the direct influence of surface water".

A final factor to consider in siting your well is source protection. Your situation is not ideal in that there are a number of septic systems and other potential sources of contamination relatively close to your potential well sites. You should site any new well with <u>extreme</u> care to minimize the chances of contamination. The Department of Health requires a well site inspection before drilling to ensure that the well is adequately protected. Restrictive and protective covenants are



Offutt Lake, Thurston County. Photo taken May 19, 1978. Bathymetric map from Washington Department of Game, May 24, 1949.

Figure 3

also required to ensure that no contaminant sources will be introduced into the protective area around the well. This protective area is required to be a minimum of a 100 foot radius around the well, and may be more if conditions require.

Please do not interpret my comments in this letter as a recommendation of a particular course of action or an endorsement of a particular well site. I am trying to provide you with the best available information about your




Figure 4 - USGS ground water flow directions near Offutt Lake. Numbers are head elevations in the Qva (feet above sea level.

possible courses of action and the likely geological consequences of those actions. I hope all your hard work on this project rewards you with great success.

Please feel free to call me at 754-4111 x 7320 if I can be of any further assistance.

Sincerely,

Robert Mead Hydrogeologist

SHEND Ment

cc: Judy Wilson - Thurston County Commissioner Phil Brinker, drinking water program File Original and First Copy with Department of Ecology Second Copy - Owner's Copy Third Copy - Driller's copy

# WATER WELL REPORT

STATE OF WASHINGTON

Start Card No. W076028

|Nell #1

Unique WELL I.D. # ACF 933

| Third Copy - Driller's copy  STATE OF WAS  | SHINGTON Water Right Permit No  | EUL.D.# NOT 833  |
|--|---|--|
| (1) OWNER: Name Diane Kelly  | Address 11926 Sanford St SE, Tenino,  | NA 98584   |
| (2) LOCATION OF Well: County Thurston  | 1/4 1/4 Sec   | 33 T. 17N N.R 1W W.M.  |
| (2a) STREET ADDRESS OF WELL (or nearest address) 4337 SE 119th   |   |  |
| (3) PROPOSED USE:  Domestic Industrial  Municipal  | (10) WELL LOG or ABANDONMENT PROC   | EDURE DESCRIPTION:   |
| Irrigation DeWater Test Well Other   | Formation: Describe by color, character, size of material a<br>aquifors and the kind and nature of the material in each s | ind structure, and show thickness of<br>tratum penetrated, with at least one   |
| (4) TYPE OF WORK: Owner's number of well   | entry for each change of information  |  |
| Abandoned New Well Method: Dug Bored   | Boulders & Top Soil   | FROM TO 19   |
| Deepened Cable Driven  | Large Rocks & Sand  | 19 32  |
| Reconditioned Rotary X Jetted  | Clay & Gravel   | 32 70  |
| (5) DIMENSIONS: Diameter of well 6 inches.   | Shale<br>Basalt   | 70 140<br>140 140  |
| Drilled 140 feet. Depth of completed well 140 ft.  |   | 110  |
| (6) CONSTRUCTION DETAILS:  |   |  |
| Casing Installed: 6" Diam. from +1 ft to 140 ft. Welded X  |   |  |
| Liner installed  |   |  |
|  |   |  |
| Perforations: Yes No X  Type of perforator used  |   |  |
| SIZE of perforations in. by in.  |   |  |
| perforations from ft. to ft.   |   |  |
| perforations from ft. to ft.   |   |  |
|  |   |  |
| Screens: Yes No X  Manufacturer's Name   |   |  |
| Type Model No  | · · · · · · · · · · · · · · · · · · ·   |  |
| Diam. Slot size from ft. to ft.  |   |  |
| Diam Slot size from ft_ to ft_   |   |  |
| Gravel packed:         Yes         No X         Size of gravel         ft. to         ft.  |   |  |
| Surface seal: Yes X No To what depth? 18 ft.  Material used in seal Bentinite  |   |  |
| Did any strata contain unusable water? Yes No X  Type of water?  |   |  |
| Method of sealing strata off   |   |  |
| (7) PUMP: Manufacturer's Name Flint Walling  |   |  |
| Type: submersible H.P. 1   |   |  |
| (8) WATER LEVELS: Land-surface elevation   | Work Started 6/12/97 , 19. Com  | pleted 6/15/97 , 19  |
| above mean sea levelft.  Static level 46ft. below top of well Date 6/15/97   |   |  |
| Artesian pressure lbs. per square inch Date  | WELL CONSTRUCTOR CERTIFICA  | The state of the s |
| Artesian water is controlled by(Cap, valve, etc)   | I constructed and/or accept responsibility for<br>compliance with all Washington well constru                             |  |
|  | and the information reported above are true   |  |
| (9) WELL TESTS: Drawdown is amount water level is lowered below static level<br>Was a pump test made? Yes ☐ NoX If yes, by whom? | NAME Corbie Chance Drilling   |  |
| Yield: gal/min. with ft. drawdown after hrs.   | 4444 1/4 1/4  | RATION) (TYPE OR PRINT)  |
| • • • • • • •  | Address 1411 Kaiser RD NW, Olyr   | npia, WA 90502   |
|  | (Signed orber Chance  | License No. 2300   |
| Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)                      | (WELL DRILLER)  | 1 1 2 8  |
| Time Water Level Time Water Level Time Water Level   | Contractor's Registration   | 1/12 00  |
|  | No. CORBICDO55BJ  | _ Date _6 // 1971  |
|  | (USE ADDITIONAL SHEET   | S IF NECESSARY)  |
| Date of test   |   |  |
| Bailer test gal/min. with ft. drawdown after hrs.  | Ecology is an Equal Opportunity and Affirm  | native Action employer. For  |
| Airest 15 gal/min. with stem set at 120 ft. for 2 hrs.   | special accommodation needs, contact the  | Water Resources Program at   |
| Artesian flow g.p.m. Date Was a chemical analyses made? Yes No X   | (360) 407-6600. The TDD number is (360  | ) 407-6006.  |

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy



# TP#36400100300 | Well#2 WATER WELL REPORT

| • | ٠ | ν | 'n | 27  | Ľ. | ш | on | v | ło. |
|---|---|---|----|-----|----|---|----|---|-----|
|   |   |   | 7  |     | ,  |   |    |   |     |
|   |   |   | *  | 1.5 |    |   |    |   | 1.  |

STATE OF WASHINGTON Permit No. Cecil 150m (1) OWNER: Name\_\_\_ Address LOCATION OF WELL: County..... THURSON 4 \_\_ 4 Sec 32 T/7 N. R. / LUWM ing and distance from section or subdivision corner (3) PROPOSED USE: Domestic of Industrial | Municipal | (10) WELL LOG: Formation: Describe by color, character, size of material and structure, and show thickness of aguifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. Irrigation | Test Well | Other (4) TYPE OF WORK: Owner's number of well (if more than one).... MATERIAL TO K New well Method: Dug Bored [ TOPSOIC Cable [ Deepened Driven [] Reconditioned [ Rotary X Jetted [ ROCKS 6" (5) DIMENSIONS: Diameter of well . inches. Drilled 143 ft. Depth of completed well 143 ft. Ruchs Some 76 (6) CONSTRUCTION DETAILS: Casing installed: 6 "Diam. from O ft. to 80 ft.

Threaded 1 442" Diam. from 75 ft. to 143 ft. 70 Welded D ..." Diam. from .. ..... ft. to ... Perforations: Yes No D Type of perforator used in. by in. by 143 ft. perforations from 100 ft. to 90 ..... perforations from ...... .... ft. to .. ft. ..... perforations from ... Loanse 14 Screens: Yes | No 🖔 Manufacturer's Name..... ... Model No. Type.. Diam, ..... Slot size .. ... from ..... ft. to Diam. ..... Slot size ... from .. Gravel packed: Yes | No | Size of gravel: Gravel placed from .. .... ft. to . Surface seal: Yes No D To what depth? If the Material used in seal Real Water Did any strata contain unusable water? No [] Type of water?.. .... Depth of strata... Method of sealing strata off. (7) PUMP: Manufacturer's Name..... (8) WATER LEVELS: Land-surface elevation above mean sea level... Static level \_\_\_\_\_ft. below top of well Date... Artesian pressure ......lbs. per square inch Date.... Artesian water is controlled by..... (Cap, valve, etc.) Drawdown is amount water level is lowered below static level (9) WELL TESTS: S Completed .... 19... Was a pump test made? Yes No W If yes, by whom?... WELL DRILLER'S STATEMENT: ft. drawdown after hrs. gal./min. with This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) (Type or print) NAME.... Water Level | Time | Water Level | Time (Person, firm, or corporation) autilly Address. [Signed].. (Well Driller)

License No...

...g.p.m. Date.

...... Was a chemical analysis made? Yes [] No []

.... Date.....

Artesian flow...

Temperature of water.....

Well #3

(1) OWNER: Name | VERONICA BURNS - CALL TANGET PO BOX SOY TENING LOCATION OF WELL, County THURSTON, 4 SE2 SE 32 T.17 N. R.W. W.M. PROPOSED USE: Domestic EX industrial [] Municipal []

Irrigation [] Test Well [] Other [] (10) WELL LOG: Formation: Describe by color, character, size of material and structure, and show thickness of nautiers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. (4) TYPE OF WORK: Owners humber of well for the conditioned than one) // Bored | Bored | Bored | Cable | Driven | Reconditioned | Rotary | Jetted | stratum penetrated with at least one entry for each change of formati sang.gravel blu-gry 55 A TOWN THE WAY TO A STATE OF THE PARTY OF TH sand, silt, clay (5) DIMENSIONS: Diameter of well 6 inches.

Drilled 165 ft Depth of completed well 168 ft 65 100 65 clay, sand blue (6) CONSTRUCTION DETAILS: Casing installed: 6 Diam from +2 ft. to 158 ft. 100 159 clay thin gravel layers tan Diam, from Diam, from ft. to \_\_\_ Threaded [ 159 164 gravel sand clay blue Welded D A.L. Perforations: Yes Nox 164 168 blue sand, gravel Type of perforator used\_\_\_\_\_\_\_in. by . 168 blu-gry perforations from ft. to basalt \_ft. perforations from \_\_\_\_ .. ft. to .. perforations from \_\_\_\_\_ ft. to \_\_\_ Screens: Yes D No IX Manufacturer's Name..... \_ Model No... Type. Diam. Slot size from ft. to ft.

Diam. Slot size from ft. to ft. 1. di . .. Gravel packed: Yes | No & Size of gravel: ... Gravel placed from ..... ft. to ..... Surface seal: Yes No D To what depth? 18
Material used in seal Cement ft. Did any strata contain unusable water? No EL Type of water?... ..... Depth of strata.... Method of sealing strata off... (7) PUMP: Manufacturer's Name... KING BROS DRILLING, INC. Туре: ..... (8) WATER LEVELS: Land-surface elevation above mean sea level.... P.O. BOX 376 CENTRALIA, WA 98531 ft. below top of well Date.... Static level ..... OFFICE: 736-7220 Artesian pressure \_\_\_\_\_lbs. per square inch Date..... Artesian water is controlled by..... (Cap, valve, etc.) Drawdown is amount water level is lowered below static level (9) WELL TESTS: 4-22-87 4-15-87 19 Completed... Work started..... Was a pump test made? Yes No If yes, by whom?......

Yield: gal/min. with ft. drawdown after WELL DRILLER'S STATEMENT: hrs, This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) NAME Time Water Level | Time Water Level | Time Water Level (Person, firm, or corporation) (Type or print) Address 1 [Signed] CUTRIS M. KING (Well Driller) Date of test gal/min with max drawdown after 3/4 hrs. (USE ADDITIONAL SHEETS IF NECESSARY) 1

ECY 050-1-20 L; stod by 1950-15 11 17/149/22 12/14



RECEIVED

G

## STATE OF WASHINGTON

# DEPARTMENT OF HEALTH

## SOUTHWEST DRINKING WATER OPERATIONS

2411 Pacific Ave. • P.O. Box 47823 • Olympia, Washington 98504-7823 FIFE (360) 664-0768 • FAX (360) 664-8058

TDD Relay Service: 1-800-833-6388

September 21, 2000

Mike Harris
Department of Ecology
Southwest Regional Office
PO Box 47775
Olympia, Washington 98504-7775

Dear Mike,

Subject:

Bronson Beach Club Water System, ID #08740E, Thurston County; Public Health

Priority for Water Rights Processing

I would like to bring to your attention a drinking water situation, which the Department of Health (Department) believes poses an imminent threat to public health and meets the "Emergency Rule" qualifying criteria defined by WAC 173-152-040 (1) (a). Please consider this letter as the Department's certification that the situation described meets the qualifying criteria.

The Bronson Country Beach Club is a community of 72 largely full-time residences in south Thurston County on south shore of Offutt Lake. The community is served by a dug well, approximately 10-15 feet in depth and located adjacent to the lake. The Department believes this well to be under the influence of surface water and is posing an acute health risk to the residents of the community. The water supply has been plagued by fecal coliform bacteria contamination and is in need of a new source of water.

The community is interested in drilling a new well into a confined aquifer believed to be greater than 100 feet in depth. This well is to be drilled on the existing wellsite. The Department greatly supports the efforts to replace the existing well with a new protected source.

The Department is very interested in finding a solution that can resolve the existing public health risk at Bronson Country Beach Club. If it will aid in the process, Regional Engineer Rich Hoey will be available to attend any meetings you might wish to have with the community or their engineer regarding this issue.

(R) (C) 18

Mike Harris Page 2 September 21, 2000

We very much appreciate your immediate attention to this situation so that the public health threat can be resolved as soon as possible. I would also appreciate receiving either a written or a verbal response indicating if this situation qualifies for expediting decision making. Please do not hesitate to contact Rich Hoey (360) 586-2510 or me (360) 753-5953 if there are any questions.

Sincerely,

BILL LIECHTY, P.E.

Bill healty

WSDOH Section Head

cc: Phil Brinker, Thurston County Environmental Health

Rich Hoey, P.E., WSDOH Regional Engineer Danny Howard, Bronson Country Beach Club


Mike Olden, P.E., Gibbs & Olson, Inc. Jim Rioux, WSDOH Regional Planner

# WATER RIGHT CLAIM

off and many.

DEPARTMENT OF ECOLOGY 1. NAME Offutt Lake Properties ADDRESS Bldg. C-10, Fishermen's Terminal Jun 1474 1 23932 Seattle, Washington CODE 98119 CASH\_OTHER\_NONE\_ 2. SOURCE FROM WHICH THE RIGHT TO TAKE AND MAKE USE OF WATER IS CLAIMED: Ground water (SURFACE OR GROUND WATER) 13 BLANK) W.R.I.A.\_\_\_\_(LEAVE A. IF GROUND WATER, THE SOURCE IS \_\_\_\_ a\_well\_\_\_\_ B. IF SURFACE WATER, THE SOURCE IS\_\_\_\_ 3. THE QUANTITIES OF WATER AND TIMES OF USE CLAIMED: A. QUANTITY OF WATER CLAIMED 100 G.P.M. PRESENTLY USED 100 G.P.M. (CUBIC FEET PER SECOND OR GALLONS PER MINUTE) B. ANNUAL QUANTITY CLAIMED\_\_\_\_\_\_\_340 PRESENTLY USED 100 (ACRE FEET PER YEAR) \_\_\_PRESENTLY IRRIGATED\_\_\_\_ C. IF FOR IRRIGATION, ACRES CLAIMED\_\_\_ D. TIME(S) DURING EACH YEAR WHEN WATER IS USED:\_\_all year YEAR 1914 4. DATE OF FIRST PUTTING WATER TO USE: MONTH\_\_\_\_\_ 5. LOCATION OF THE POINT(S) OF DIVERSION/WITHDRAWAL: 2,000 FEET north AND 1,400 \_\_CORNER OF SECTION\_\_\_\_\_32 FEET\_ West FROM THE southeast BEING WITHIN GOV. Lot 6 OF SECTION 32 T. 17 N.R. 1 W (E.ORW.) W.M. IF THIS IS WITHIN THE LIMITS OF A RECORDED PLATTED PROPERTY, LOT \_\_\_\_\_\_\_BLOCK\_\_\_\_\_\_ (GIVE NAME OF PLAT OR ADDITION) 6. LEGAL DESCRIPTION OF LANDS ON WHICH THE WATER IS USED: Plats of Offut Lake and Bronson Country Complete legal description on attached Schedule A \_\_\_\_COUNTY\_\_\_Thurston Domestic 7. PURPOSE(S) FOR WHICH WATER IS USED:\_\_\_ 8. THE LEGAL DOCTRINE(S) UPON WHICH THE RIGHT OF CLAIM IS BASED: Appropriation HEREBY SWEAR THAT THE ABOVE INFORMATION IS TRUE AND DO NOT USE THIS SPACE Accurate take proparities and the richard THE FILING OF A STATEMENT OF CLAIM DOES NOT CONSTITUTE AN ADJUDICATION OF ANY CLAIM TO THE RIGHT TO USE OF WATERS AS BETWEEN THE WATER USE CLAIMANT AND THE STATE OR AS BETWEEN ONE OR MORE WATER USE CLAIMANTS AND ANOTHER OR OTHERS. THIS ACKNOWLEDGEMENT CONSTITUTES RECEIPT FOR AND ANOTHER OR OTHERS. THIS ACKNOWLEDGEMENT CONSTITUTES RECEIPT FOR AND ANOTHER OR OTHERS. THIS ACKNOWLEDGEMENT CONSTITUTES RECEIPT FOR AND ANOTHER OR OTHERS. THIS ACKNOWLEDGEMENT CONSTITUTES RECEIPT FOR AND ANOTHER OR OTHERS. THIS ACKNOWLEDGEMENT CONSTITUTES RECEIPT FOR AND ANOTHER OR OTHERS. THIS ACKNOWLEDGEMENT CONSTITUTES RECEIPT FOR AND ASSET OF THE FILLING FEE. WILLIAM BRASIER, GARYAL. Hersey, Pather DATE RETURNED THIS HAS BEEN ASSIGNED CIA HERSEY, WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FOR THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FOR ANY AND THE FILLING FEE. WILLIAM FINE OF STREET FEE. WILLIAM FINE OF STREET FE A Richard Chown Brown, individual and as attorney-in-fact for Joan C. Brown, Hersey. Pauri Brown, individual TEB 57511/944 September 18, 1972

The Bird



7000 N (400 W

Water Right Permit No. \_\_\_

W150553

Registration No. Date 7-11-01

Ecology is an Equal Opportunity Employer. ECY 050-1-20 (Rev 4/01)

Unique Ecology Well ID Tag No. A G H 1 3 9

WATER WELL

provided and copy - Ecology, 2nd copy - owner, 3rd copy - driller

Construction/Decommission ("x" in circle)

If trainee, licensed driller's Signature and License no.

Construction
 Decommission ORIGINAL CONSTR

| tuc ne | RA | -I |
|--------|----|----|
|        |    | -  |

| of Intent Number  | Property Owner Name Bronson Country  | Beach Clu         |
|---|--|-------------------|
| PROPOSED USE: Domestic Industrial Municipal DeWater Irrigation Test Well Other  | Well Street Address 4122 119+h Aver  |                   |
|   | City Tenino County: Thu  | rston             |
| TYPE OF WORK: Owner's number of well (if more than one) # 1  New Well Reconditioned Method: Dug Bored Driven                                      | Location N.W 1/4- 1/4 S.E. 1/4 Sec 3.2 Twn 1   | NR1W EWM circ     |
| ☐ Deepened ☐ Cable ☐ Rotary ☐ Jetted  | Lat/Long: Lat Deg Lat Mi   | n/Sec             |
| DIMENSIONS: Diameter of well 8 inches, drilled 171 ft.  | (s,t,r still REQUIRED) Long Deg Long M   |                   |
| Depth of completed well1 7 1ft.   | Tax Parcel No. 11732421700   | MIPSCC            |
| CONSTRUCTION DETAILS  |  | Demany in fa      |
| Casing Welded 8 " Diam. from +2 ft. to 80 ft.  Installed: Liner installed" Diam. from ft. to ft.  |  |                   |
| Threaded Diam. from ft. toft.   | kind and nature of the material in each stratum penetrated,  | with at least one |
| Perforations: Yes No  | entry for each change of information. Indicate all water en<br>(USE ADDITIONAL SHEETS IF NECESSARY.) | countered.        |
| Type of perforator used   |  | ом то             |
| SIZE of perfsin. byin. and no. of perfsfromft. toft   |  | M 10              |
| Screens: Yes No K-Pac Location  | - DIOWN TIME-REGIGN Sand O   |                   |
| Maguifacturer's Name  | gravel, round boulders   | 9                 |
| TypeModel No  | Brown med. sand, gravel 9  |                   |
| Diamft_toft.  | round wet w/boulders   | 2.2               |
| Diamft. toft.   | Brown medium to coarse 22  | <u> </u>          |
| Gravel/Filter packed: Yes No Size of gravel/sand  | sand, some gravel-wet  | 3.1               |
| Materials placed fromft. toft.  | Gray clay binder, black 31   |                   |
| Surface Seal: XYes No To what depth? 31 ft  | round grave!   | 4.6               |
| Materials used in sealBentonite   | Brown hard clay 46   | 5   52            |
| Did any strata contain unusable water? Yes No   | Brown clay with round 52   | 2                 |
| Type of water?Depth of strata   | gravel, cobbles  | 59                |
| Method of sealing strata off  | Brown shale 69   | 78                |
| PUMP: Manufacturer's Name   | Black shale-wet 78   | 3 83              |
| Туре:   | Brown shale 83   | 89                |
| WATER LEVELS: Land-surface elevation above mean sea level 450 ft.   | Gray shale 85  | 108               |
| Static level 2 3 ft. below top of well Date 7 - 10 - 01  Artesian pressurelbs. per square inch Date   | Blue-green sandstone 10  | 08 112            |
| Artesian water is controlled by   |  | 12 113            |
| (cap,valve, etc.)   |  | 13 139            |
| WELL TESTS: Drawdown is amount water level is lowered below static level.   |  | 39 140            |
| Was a pump test made? Yes No If yes, by whom?   |  | 40 151            |
| Yield: gal/min. with ft. drawdown after hrs. Yield: gal/min. with ft. drawdown after hrs.   |  | 51 157            |
| Yield: gal/min with ft. drawdown after hrs.   |  | 57                |
| Recovery data (time taken as zero when pump turned off)(water level measured from   | fractured-wet  | 163               |
| well top to water level) Time Water Level Time Water Level Time Water Level   |  | 53 167            |
| Time Water Level Time Water Level Time Water Level  |  | 67                |
|   |  |                   |
| Date of test  | with pyrite-wet  | 170               |
| Bailer testhrs. withft, drawdown afterhrs.  | Blue basalt, water 1   | 70 171            |
| Airtest 150 gal/min, with stem set at 107 ft. for 1 hrs.  Artesian flow g.p.m. Date   |  |                   |
| Temperature of water Was a chemical analysis made?  Yes No  | Start Date 7-9-01 Completed Date 7   | 7-10-01           |
| WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept resp<br>Washington well construction standards. Materials used and the information i | onsibility for construction of this well, and its compli-  | ance with all     |
| Driller Engineer Trainer Name (Print) Rogeray Phythian  |  |                   |
|   |  |                   |
|   | Address 170 SE Walker Park   |                   |
| Driller or Traince License No. 2053   | City, State, Zip Shelton WA 98 Contractor's ARCADDIO98K1   | 3584              |
|   | CONTINUES VICTORIO SOVI  |                   |

Ecology is an Equal Opportunity Employer. ECY 050-1-20 (Rev 4/01)

If trainec, licensed driller's Signature and License no.\_\_

| I C . L . D . A   |               | 27              |            |
|-------------------|---------------|-----------------|------------|
| Construction/Deco | mmission      | ("x" in circle) | DRAF       |
| Construction      |               |                 |            |
| O Decommission    | <b>ORIGIN</b> | AL CONSTRUCT    | TON Notice |
|                   | of Inta       | mt Number       |            |

| ORT | CURRENT<br>Notice of Intent No. 150554 |   |
|-----|--|---|
| AFT | Unique Ecology Well ID Tag No. AGH140  | _ |
| ALI | Water Right Permit No.                 |   |
|     | Brotson Country                        | В |

| of Intent Number  | Property Owner Name Bronson Cou   | ntry Bea             | ch Club     |
|---|---|----------------------|-------------|
| PROPOSED USE: Domestic Industrial Omnicipal   | Well Street Address 4 1 2 2 1 1 9 + h   |                      |             |
| ☐ DeWater ☐ Irrigation ☐ Test Well ☐ Other  | Cir. Tenino County:   | Thursto              | n           |
| TYPE OF WORK: Owner's number of well (if more than one) # 2  New Well Reconditioned Method: Dug Bored Driven                                      | Location NW 1/4- 1/4 SE 1/4 Sec. 3.2 T  | 17NR1W               | EWM circle  |
| New Well Reconditioned Method: Dug Bored Driven Deopened Cable Rotary I letted  |   |                      | ** ** ** ** |
| DIMENSIONS: Diameter of well 8 inches, drilled 17.7 ft.   | Lat/Long: Lat Deg ]   |                      |             |
| Depth of completed well 177 ft.   | REQUIRED) Long Deg ]  |                      |             |
| CONSTRUCTION DETAILS  | Tax Parcel No. 11732421700  |                      |             |
| Casing Welded 8 Diam. from +2 ft. to 60 ft.   | CONSTRUCTION OR DECOMMISSION Formation: Describe by color, character, size of ma              |                      |             |
| Diam from   | kind and nature of the material in each stratum pen-  | ctrated, with at lea | st one      |
|   | entry for each change of information. Indicate all w<br>(USE ADDITIONAL SHEETS IF NECESSARY.) |                      |             |
| Perforations: Tycs No Type of perforator used   | MATERIAL  | FROM                 | то          |
| SIZE of perfsin. byin. and no. of perfsfromft. toft.  |   | O                    | -10         |
| Screens: Yes No K-Pac Location  | Brown fine to medium  | - 0                  | 9           |
| Manufacturer's Name   | sand, gravel, boulders  | 9                    |             |
| TypeModel No  | Brown medium sand and   |                      |             |
| Diam. Slot Size from ft. to ft.   | gravel, boulders round.   |                      | 3 2         |
| Diam. Slot Size from ft. to ft.   |   |                      |             |
| Gravel/Filter packed: Yes XNo Size of gravel/sand   | Gray clay with black  | 32                   | 4.2         |
| Materials placed fromft. toft.  Surface Seal: X Yes No To what depth? 31ft  | round gravel  | 4 2                  | 4.2         |
| Materials used in seal Bentonite  | Brown clay and round grave!   |                      | 4 8         |
| Did any strata contain unusable water? Yes No   | · · · · · · · · · · · · · · · · · · ·   |                      | 71          |
| Type of water?Depth of strata   | Brown sandstone   |                      | 85          |
| Method of sealing strata of   | Brown shale   |                      |             |
| PUMP: Manufacturer's Name   | Black shale   |                      | 108         |
| Туре:   | Gray/green sandstone<br>Black shale   | 114                  | 156         |
| WATER LEVELS: Land-surface elevation above mean sea level 450 ft.   | Gray sandstone fractur  |                      |             |
| Static level 2 3 ft. below top of well Date 7-12-01  Artesian pressure lbs. per square iach Date  | some water  |                      | 164         |
| Artesian water is controlled by   | Gray fractured sand-  | 164                  |             |
| (cap,valve, etc.)   | stone   |                      | 176         |
| WELL TESTS: Drawdown is amount water level is lowered below static level.   | Blue sandstone water  |                      | 177         |
| Was a pump test made? ☐ Yes ☒ No If yes, by whom?   |   |                      |             |
| Yield: gal/min. with ft. drawdown after hrs. Yield: gal/min. with ft. drawdown after hrs.   |   |                      |             |
| Yield: gal /min. with ft. drawdown after hrs.   |   |                      |             |
| Recovery data (sime taken as zero when pump turned off)(water level measured from   |   |                      |             |
| well top to water level) Time Water Level Time Water Level Time Water Level   |   |                      |             |
|   |   |                      |             |
|   |   |                      |             |
| Date of test gal/min. with ft. drawdown after hrs.  |   |                      |             |
| Airtest 100 gal/min. with stem set at 102 ft. for 1 hrs.  |   |                      |             |
| Artesian flowg.p.m. Date  | Start Date 7 - 1 1 - 0 1 Completed Da   | ale 7-12-0           | 3           |
| Temperature of waterWas a chemical analysis made? Ycs No  |   |                      |             |
| WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibilities well construction standards. Materials used and the information re- | ported above are true to my best knowledge a  | nd belief.           |             |
| Driller Engineer Trainee Name (Print) Rogeray Phythia   | Drilling Company Arcadia Dr   | illing !             | nc.         |
| Driller/Engineer/Trainee Signature  | - Address 170 SE Walker P   | ark Road             |             |
| Driller or Traince License No. 2053   |   | A 9858               |             |
|   | Contractor's ADCADALAGEVA   |                      |             |
| If trainec, licensed driller's  | Registration No   | ate                  |             |

11/07/2001

| RESEARCH ON BRONSON BEACH |
|---------------------------|
|                           |

|           | QUAD                 |                   |                      |                    |                    |                |                | NW/4SE/~                        |                    |                     |                     |              |                      |                    |                  |                |                 |                 |              |                 |                |                 |                 | 0                  |                   |                    |              |                    |                  |                  |                 |                  | SE/4NW/4                     | S/2NW/4                      |                    |
|-----------|----------------------|-------------------|----------------------|--------------------|--------------------|----------------|----------------|---------------------------------|--------------------|---------------------|---------------------|--------------|----------------------|--------------------|------------------|----------------|-----------------|-----------------|--------------|-----------------|----------------|-----------------|-----------------|--------------------|-------------------|--------------------|--------------|--------------------|------------------|------------------|-----------------|------------------|------------------------------|------------------------------|--------------------|
|           | TRS                  | T17N/R 1W-32      | T17N/R 1W-32         | T17N/R 1W-32       | T17N/R 1W-32       | T17N/R 1W-32   | T17N/R 1W-32   | T17N/R 1W-32                    | 117N/R 1W-32       | T17N/R 1W-32        | T17N/R 1W-32        | T17N/R 1W-32 | T17N/R 1W-32         | T17N/R 1W-32       | T17N/R 1W-32     | T17N/R 1W-32   | T17N/R 1W-32    | T17N/R 1W-32    | T17N/R 1W-32 | T17N/R 1W-32    | T17N/R 1W-32   | T17N/R 1W-32    | T17N/R 1W-32    | T17N/R 1W-32       | T17N/R 1W-32      | T17N/R 1W-32       | T17N/R 1W-32 | T17N/R 1W-32       | T17N/R 1W-32     | T17N/R 1W-32     | T17N/R 1W-32    | T17N/R 1W-32     | T17N/R 1W-32                 | T17N/R 1W-32                 | T17N/R 1W-32       |
| 51        | SOURCE               | WELL              | WELL                 | WELL               | OFFUT LAKE         | WELL           | OFFUT LAKE     | WELL                            |                    |                     | OFFUTT LAKE         | OFFUT LAKE   |                      |                    |                  | LAKE           |                 | WELL            |              |                 |                |                 | OFFUTT LAKE     |                    |                   | OFFUTT LAKE        |              | OFFUTT LAKE        |                  | WELL             | SWAMP           | WELL             | WELL                         | WELL                         | WELL               |
|           | TS PURPOSES          | DG                | DG                   |                    | DG IR              | DG IR          | DG IR          | 98 DM·                          | DG IR              | DG                  | IR.                 | IR           | DG                   | DG                 |                  | ST IR          |                 | DG              | DG           | DQ.             | DG             | DG ST IR        | DG              | DG                 | DG                | DG                 | DG IR        | DS.                | DG IR            | DG IR            | DG ST           | DG ST            | DM·C1·                       | DM.                          | DM·                |
| ACRES DOM | _                    |                   |                      |                    |                    |                |                |                                 |                    |                     |                     | -            |                      |                    |                  | 40             |                 |                 |              |                 |                |                 |                 |                    |                   |                    |              |                    |                  |                  |                 |                  |                              |                              |                    |
| ACRE      | ~                    |                   |                      |                    |                    |                |                |                                 |                    |                     | .50                 | .50          |                      |                    |                  |                |                 |                 |              |                 |                |                 |                 |                    |                   |                    |              | .50                |                  |                  |                 |                  | 16.20                        | 47.00                        |                    |
|           | ō.                   |                   |                      |                    |                    |                |                | 150.000                         |                    |                     | .020                | 0.000        |                      |                    |                  |                |                 |                 |              |                 |                |                 |                 |                    |                   |                    |              | .030               |                  |                  |                 |                  | 60.000                       | 150.000 4                    | 000.09             |
| COUNTY    | NAME                 | THURSTON          | THURSTON             | THURSTON           | THURSTON           | THURSTON       | THURSTON       | THURSTON                        | THURSTON           | THURSTON            | THURSTON            | THURSTON     | THURSTON             | THURSTON           | THURSTON         | THURSTON       | THURSTON        | THURSTON        | THURSTON     | THURSTON        | THURSTON       | THURSTON        | THURSTON        | THURSTON           | THURSTON          | THURSTON           | THURSTON     | THURSTON           | THURSTON         | THURSTON         | THURSTON        | THURSTON         | THURSTON                     | THURSTON                     | THURSTON           |
| WRIA      | CODE                 | 13                | 13                   | 13                 | 13                 | 13             | 13             | 13                              | 13                 | 13                  | 13                  | 13           | 13                   | 13                 | 13               | 13             | 13              | 13              | 13           | 13              | 13             | 13              | 13              | 13                 | 13                |                    | 13           | 13                 | 13               | 13               | 13              | 13               | 13                           | 13                           | 13                 |
| PRIORITY  | DATE                 | 0/0/1970          | 0/0/1963             | 0/0/1965           | 0/0/1954           |                |                | 11/06/2000                      |                    | 0/0/1938            | 6/20/83             | 0/0/1917     |                      |                    | 0/0/1952         | 0/0/1952       |                 | 0/0/1952        |              |                 |                |                 | 0/0/1917        | 0/0/1898           |                   |                    |              | 4/17/85            |                  |                  |                 | 0/0/1928         | 2/15/65                      | 6/16/72                      | 4/03/98            |
|           | BUSINESS/PERSON NAME | ARMSTRONG, CARL R | ARMSTRONG, CARL R ET | BRENTIN, WILLIAM J | BRENTIN, WILLIAM J | BRITT, THEO V. | BRITT, THEO V. | BRONSON COUNTRY BEAC 11/06/2000 | BRONSON, DONALD W. | BURLIWGAUME, DONALD | EISENMAN M U ET UX, | FARIS, DAVID | HALLGRIMSON, BENEDIC | HICKOX, FORREST M. | HILLS & KEPPERT, | HILLS, KENNETH | HOWE, VALERIE V | IMLER, JAMES L. | ISOM, CECIL  | ISOM, DELEVA S. | JONES, FRED A. | JORGENSEN, QUAY | KILDOW, STANLEY | LOVELL, WILLIAM E. | LUFKIN, HOWARD W. | MADDEN, ELEANOR S. | MAY, PEARL N | MISHLER LARRY & S, | MURPHY, DENNIS A | NELSON, DAVID P. | NELSON, JAMES S | NELSON, JAMES S. | NORTH OFFUT LAKE WAT 2/15/65 | NORTH OFFUT LAKE WAT 6/16/72 | OFFUT LAKE RESORT, |
| TYPE/     | STAT                 | CL [L]            | CL [L]               | CL [L]             | CL [L]             | CL [S]         | CL [S]         | AP                              | CL [S]             | CL [L]              | CE                  | CL []        | CL [S]               | CL [S]             | CL [L]           | CL [L]         | CL [S]          | CL [L]          | CL [S]       | CL [S]          | CL [S]         | CL [S]          | CL [L]          | CL [L]             | CL [S]            | CL [S]             | CL [S]       | 핑                  | CL [S]           | CL [S]           | CL [S]          | CL [L]           | SE                           | 핑                            | AP                 |
| CONTROL   | NUMBER               | G2-111896CL       | G2-111897CL          | G2-158014CL        | S2-158013CL        | G2-087276CL    | S2-087275CL    | G2-29958                        | G2-087185CL        | G2-013979CL         | S2-26369CWRIS       | S2-300769CL  | G2-080561CL          | G2-044476CL        | S2-015269CL      | S2-080422CL    | S2-155800CL     | G2-062287CL     | G2-051534CL  | G2-051535CL     | G2-054362CL    | G2-069579CL     | S2-063035cL     | G2-011706CL        | G2-049959CL       | S2-080860CL        | G2-092483CL  | S2-26687CWRIS      | G2-101497CL      | G2-088560CL      | S2-118400CL     | G2-081771CL      | G2-*07502CWRIS .05430        | G2-20304CWRIS                | G2-29633           |

\*\* WATER RIGHTS APPLICATION TRACKING SYSTEM \*\* Southwest Regional Office

| TRS    | BEACH   |
|--------|---------|
| BY     | NOS     |
| REPORT | BRONSON |
|        | NO      |
| WRATS  | ESEARCH |

|          | QUAD                 |                    |                      |              |                |                 |              |                     |                      |                 |                 |                    |                 |                    |                  |                  |                  |                    |                |                  |                  |                    |                       | 1/MN                |                   |                      |               |                       |               |                          |                       |                      |               |               |                       |                     |                    |
|----------|----------------------|--------------------|----------------------|--------------|----------------|-----------------|--------------|---------------------|----------------------|-----------------|-----------------|--------------------|-----------------|--------------------|------------------|------------------|------------------|--------------------|----------------|------------------|------------------|--------------------|-----------------------|---------------------|-------------------|----------------------|---------------|-----------------------|---------------|--------------------------|-----------------------|----------------------|---------------|---------------|-----------------------|---------------------|--------------------|
|          | TRS                  | T17N/R 1W-32       | T17N/R 1W-32         | T17N/R 1W-32 | T17N/R 1W-32   | T17N/R 1W-32    | T17N/R 1W-32 | T17N/R 1W-32        | T17N/R 1W-32         | T17N/R 1W-32    |                 | T17N/R 1W-32       |                 | T17N/R 1W-32       | T17N/R 1W-32     | T17N/R 1W-32     | T17N/R 1W-32     | T17N/R 1W-32       | T17N/R 1W-32   | T17N/R 1W-32     |                  | T17N/R 1W-32       | T17N/R 1W-33          | 1W-33               | T17N/R 1W-33      | T17N/R 1W-33         | T17N/R 1W-33  | T17N/R 1W-33          | T17N/R 1W-33  | T17N/R 1W-33             | T17N/R 1W-33          | T17N/R 1W-33         | T17N/R 1W-33  | T17N/R 1W-33  | T17N/R 1W-33          | T17N/R 1W-33        | T17N/R 1W-33       |
|          | SOURCE               | WELL               | WELL                 | WELL         | WELLS          | WELL            |              | WELL                | WELL                 | OFFUT LAKE      |                 |                    | OFFUT LAKE      | OFFUTT LAKE        | WELL             | OFFUTT LAKE      |                  |                    |                |                  |                  |                    | OFFUTT LAKE           | OFFUTT LAKE         | OFFUTT LAKE       |                      | WELL          | UNNAMED STREAM        | WELL          | WELL                     | OFFUTT LAKE           |                      | WELL          | WELL          | OFFUTT LAKE           | WELL                | OFFUTT LAKE        |
|          | PURPOSES             |                    | DG                   | DG           | 90             | DG              | DG           | DG                  | DG                   | DG              | 90              | 90                 | DG IR           | IR.                | DM.              | IR.              | 90               | 90                 | DG             | DG               | DG               | DG ST IR           | DS.                   | DS.                 | DS.               | DG IR                | 90            | IR.                   | DG IR         | IR.                      | .sa                   | DG                   | DG            | DG            | DS.                   | DG                  | DS.                |
| MOQ      | UNITS                |                    |                      |              |                |                 |              |                     |                      |                 |                 |                    |                 |                    |                  |                  |                  |                    |                |                  |                  |                    |                       |                     |                   |                      |               |                       |               |                          |                       |                      |               |               |                       |                     |                    |
| ACRES    | IRR                  |                    |                      |              | 10             |                 |              |                     |                      |                 |                 |                    |                 | _                  |                  | _                |                  |                    |                |                  |                  |                    |                       |                     |                   |                      |               | 2                     |               | 35                       |                       |                      |               |               |                       |                     |                    |
| ACRE     | FT/YR                |                    |                      |              |                |                 |              |                     |                      |                 |                 |                    |                 | .50                | 2.00             | 1.00             |                  |                    |                |                  |                  |                    | 1.00                  | .50                 | .50               |                      |               | 10.00                 |               | 70.00                    |                       |                      |               |               | 1.00                  |                     | 1.00               |
|          | ie                   | 900.09             |                      |              |                |                 |              |                     |                      |                 |                 |                    |                 | .010               | 15.000           | .020             |                  |                    |                |                  |                  |                    | .010                  | .020                | .020              |                      |               | .050                  |               | 350,000                  | .010                  |                      |               |               | .010                  |                     | .010               |
| COUNTY   | NAME                 | THURSTON           | THURSTON             | THURSTON     | THURSTON       | THURSTON        | THURSTON     | THURSTON            | THURSTON             | THURSTON        | THURSTON        | THURSTON           | THURSTON        | THURSTON           | THURSTON         | THURSTON         | THURSTON         | THURSTON           | THURSTON       | THURSTON         | THURSTON         | THURSTON           | THURSTON              | THURSTON            | THURSTON          | THURSTON             | THURSTON      | THURSTON              | THURSTON      | THURSTON                 | THURSTON              | THURSTON             | THURSTON      | THURSTON      | THURSTON              | THURSTON            | THURSTON           |
| WRIA     | CODE                 | 13                 | 13                   | 13           | 13             | 13              | 13           | 13                  | 13                   | 13              | 13              | 13                 | 13              | 13                 | 13               | 13               | 13               | 13                 | 13             | 13               | 13               | 13                 | 13                    | 13                  | 13                | 13                   | 13            | 13                    | 13            | 13                       | 13                    | 13                   | 13            | 13            | 13                    | 13                  | 13                 |
| PRIORITY | DATE                 | 4/03/98            | 0/0/1914             | 0/0/1924     | 0/0/1960       | 0/0/1964        | 0/0/1949     | 0/0/1965            | 0/0/1971             | 0/0/1950        | 0/0/1945        | 0/0/1946           | 0/0/1910        | 10/23/73           | 7/05/74          | 7/05/74          | 0/0/1950         |                    | 0/0/1967       | 0/0/1961         | 0/0/1950         |                    | 9/11/70               | 8/21/73             | 6/19/73           |                      | 0/0/1972      | 29/20/9               | 0/0/1945      | 10/17/52                 | 7/27/60               | 0/0/1961             | 0/0/1949      | 0/0/1967      | 9/02/70               | 0/0/1960            | 6/11/71            |
|          | BUSINESS/PERSON NAME | OFFUT LAKE RESORT, | OFFUTT LAKE PROPERTI | PERRY, MAX L | PETERS, GEORGE | PFAFF, MADELINE | RING, JANICE | ROBINSON, KATHERINE | SHEPHEARD, VIVIAN A. | STANNER, DONALD | STIENER, AUGUST | STORM, BEATRICE O. | THOMPSON, J. C. | THUEMMLER EVERETT, | TURNER GERTRUDE, | TURNER GERTRUDE, | TYRRELL, EARL L. | VIERLING, JAMES H. | WELLS, FRANCIS | WICKLUND, ROY M. | WICKLUND, ROY M. | ZOBRIST, MERRILL M | BAKER E E & L,        | BEITZ EDWIN W ETAL, | COBURN MAJORIE C, | EAST OLYMPIA FIRE DE | HILL, JACK J. | HYDE C H,             | HYDE, CLYDE H | JOHNSON M W,             | JUSTMAN FRANK ET UX,  | JUSTMAN, FRANKLIN W. | LAMB, DAVID C | LAMB, DAVID C | MCINTYRE A D & J I,   | SCHAEFFER, LISLE H. | THOMPSON MARTIN C, |
| TYPE/    | STAT                 | AP                 | CL [L]               | כר נר]       | CL [L]         | CL [L]          | CL [L]       | CL [L]              | CL [L]               | CL [L]          | CL [L]          | CL [L]             | CL [L]          | SE                 | S                | CE               | CL [L]           | CL [S]             | CL [L]         | CL [L]           | CL [L]           | CL [S]             | 믱                     | GE                  | 믱                 | CL [S]               | CL [L]        | 핑                     | CL [L]        | GE                       | 핑                     | CL [L]               | CL [L]        | CL [L]        | CE                    | CL [L]              | CE                 |
| CONTROL  | NUMBER               | G2-29633           | G2-117944CL          | G2-090887CL  | G2-155767CL    | G2-080252CL     | G2-028334CL  | G2-104263CL         | G2-052633CL          | S2-069325CL     | G2-006459CL     | G2-024418CL        | S2-067665CL     | S2-21573CWRIS      | G2-22959CWRIS    | S2-22958CWRIS    | G2-005920CL      | G2-064612CL        | G2-008520CL    | G2-022664CL      | G2-022665CL      | G2-129560CL        | S2-*22540CWRIS ·11553 | S2-21376CWRIS       | S2-21180CWRIS     | G2-133025CL          | G2-033304CL   | S2-*20289CWRIS ·11125 | G2-142974CL   | G2-*02767ALCWRIS .02352A | S2-*16218CWRIS .08097 | G2-014294CL          | G2-115285CL   | G2-115286CL   | S2-*22517CWRIS .11498 | G2-041427CL         | S2-00163CWRIS      |

Southwest Regional Office WRAIS REPORT BY IRS

RESEARCH ON BRONSON BEACH

| QUAD                                 | SE/4SE/4                           | SW/4NE/4  |
|--------------------------------------|------------------------------------|---|
| TRS                                  | T17N/R 1W-33<br>T17N/R 1W-33       | T17N/R 1W-33<br>T17N/R 1W-33<br>T17N/R 1W-33                  |
| SOURCE                               | WELL                               | DESCHUTES RIVER   |
| PURPOSES                             | DM.<br>DG ST IR                    | IR.<br>DG ST IR<br>IR.  |
| DOM                                  | . MO                               | D D   |
| ACRES DIRR UN                        | !                                  | 7 1   |
| ACRE A                               | 7.00                               | 22.00   |
| .e                                   | 20.000                             | .120  |
| COUNTY                               | THURSTON                           | THURSTON<br>THURSTON  |
| WRIA                                 | 13                                 | 13  |
| PRIORITY WRIA                        | 9/23/74                            | 4/01/46   |
| PRIORIT<br>BUSINESS/PERSON NAME DATE | TOBINSKI FRANK,<br>WELL, RICHARD E | WELLS R E,<br>WELLS, RICHARD E<br>WIARD D T,                  |
| TYPE/<br>STAT                        | CE<br>CL [S]                       | CL [S]  |
| CONTROL                              | G2-23193CWRIS<br>G2-106325CL       | S2-*U/U1>CWRIS -03580<br>G2-132936CL<br>G2-*01995CWRIS -02647 |

Results: There were 15 well logs which matched your search criteria.

Sorted Field: The results are sorted by Well O. .. er Name.

Search Criteria Used: Township: 17, Range: 01W, Section(s): 32

8. Well Owner Name: GLEN LOGAN

Public Land Survey: SW, SE, S-32, T-17-N, R-01-W Well Log ID: 32322, Well Tag: ACR683, Start Card: County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 68.00 (feet), Well Completion Date:

9. Well Owner Name: ITOLF HAVEN

Public Land Survey: NW, NW, S-32, T-17-N, R-01-W

Well Log ID: 273019, Well Tag: , Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: (inches), Well Depth: (feet), Well Completion Date:

10. Well Owner Name: ITOLF HAVEN

Public Land Survey: NW, NW, S-32, T-17-N, R-01-W

Well Log ID: 273020, Well Tag:, Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: (inches), Well Depth: (feet), Well Completion Date:

11. Well Owner Name: KENNETH HEDDEN

Public Land Survey: SE, SW, S-32, T-17-N, R-01-W

Well Log ID: 26621, Well Tag:, Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 49.00 (feet), Well Completion Date:

12. Well Owner Name: LAURA PATTERSON

Public Land Survey: SW, SE, S-32, T-17-N, R-01-W Well Log ID: 31191, Well Tag: ABF611, Start Card: County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 68.00 (feet), Well Completion Date:

13. Well Owner Name: MABEL WHITNEY

Public Land Survey: , , S-32, T-17-N, R-01-W Well Log ID: 27190, Well Tag: , Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 90.00 (feet), Well Completion Date:

14. Well Owner Name: PAUL DETRAY

Public Land Survey: SE, SE, S-32, T-17-N, R-01-W Well Log ID: 273882, Well Tag: ABA227, Start Card: County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 60.00 (feet), Well Completion Date:

15. Well Owner Name: VERONICA BURNS

Public Land Survey: SE, SE, S-32, T-17-N, R-01-W

Well Log ID: 30227, Well Tag:, Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 168.00 (feet), Well Completion Date:

# Search Results - Derived from the Text Search Engine

To print or email the following results, use the buttons above.

11/7/01

Results: There were 15 well logs which matched your search criteria.

Sorted Field: The results are sorted by Well Owner Name.

Search Criteria Used: Township: 17, Range: 01W, Section(s): 32

1. Well Owner Name: ALDEN ROBINSON

Public Land Survey: NW, NE, S-32, T-17-N, R-01-W Well Log ID: 32527, Well Tag: ACY635, Start Card: County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 59.00 (feet), Well Completion Date:

2. Well Owner Name: BELL & JOLLY CONST. CO

Public Land Survey: SW, SE, S-32, T-17-N, R-01-W Well Log ID: 273902, Well Tag: ABA257, Start Card: County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 60.00 (feet), Well Completion Date:

3. Well Owner Name: CECIL ISOM

Public Land Survey: , , S-32, T-17-N, R-01-W Well Log ID: 22630, Well Tag: , Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 143.00 (feet), Well Completion Date:

4. Well Owner Name: DELMER CONNET

Public Land Survey: SE, NW, S-32, T-17-N, R-01-W

Well Log ID: 23558, Well Tag: , Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 59.00 (feet), Well Completion Date:

5. Well Owner Name: EASY DWELLING DEVELOPMENT CO.

Public Land Survey: SW, SE, S-32, T-17-N, R-01-W

Well Log ID: 24067, Well Tag:, Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 50.00 (feet), Well Completion Date:

**6.** Well Owner Name: GLEN LOGAN

Public Land Survey: SW, SE, S-32, T-17-N, R-01-W

Well Log ID: 24869, Well Tag: , Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: (inches), Well Depth: (feet), Well Completion Date:

7. Well Owner Name: GLEN LOGAN

Public Land Survey: SW, SE, S-32, T-17-N, R-01-W

Well Log ID: 24870, Well Tag: , Start Card:

County: THURSTON, Well Address: , Well Type: Water

Well Diameter: 6.00 (inches), Well Depth: 59.00 (feet), Well Completion Date:

Well Log Image System 1.0



1515 80th St. E. Tacoma, WA 984 (253) 531-3121

# **INORGANIC CHEMICALS (IOCS) REPORT**

| A 10 Per 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |  |               |             |           |            |         |  | 1  |            |         |
|--|--|---------------|-------------|-----------|------------|---------|--|--|------------|---------|
| System   | ID No: D/A   | System        | Name: 3     | rons      | on Beac    | h Clu   | b.   |  |            |         |
| Lab/S  | ample No: 0895   |               | Date C      | ollected: | 8-16-01    |         |  | H Source   | No:n/A     |         |
| AV. 234  | MARKET STATE OF THE STATE OF TH |               |             |           | ple Type:  |         |  | ple Purpo  |            |         |
| 100 March 1981                                 | SECTION CONTRACTOR AND ADMINISTRATION OF THE PERSON OF THE |               |             |           | ipie Type. |         |  | lipie i dipe                                     | nsc. C     | -       |
| Date R   | eceived: 8-16-C  | Dat           | te Reported | i:<br>    |            | St      | upervisor:                                       | MY   |            |         |
| County   | Thurston   | Dat           | te Digested | l:        |            | Group:  | (A) E  | 3 Oth  | ier Neu    | )       |
| Sample   | Location: Well h   | end / D/      | 3N K        | 10        |            |         |  |  |            | -       |
| C 1 D  | and To A   | 14/ // ^      |             |           | ill To: AH | mun     |  |  |            |         |
| Sena K   | eport To: Arcadia  | - Well D      | nune        | P         | ///        | 004/2   |  |  |            |         |
|  | 1705.8   | · Walke       | - Par       | K Rd      |            | ı       | -  |  |            |         |
|  | 1705.8<br>Shelton  | WA 9858       | 14          |           |            |         |  |  | 4          |         |
| DOH#   | ANALYTES   | RESULTS       | UNITS       | SRL       | TRIGGER    | MCL     | EXC  | EEDS   | Method/A   | Analyst |
| DOTTI  | THAT I I I   | College Co.   |             | _ Ont     | Hucork     | 1 11102 | -  | Т  | - Wethod/1 | inaryst |
|  |  |               | GULATED     |           | 0.05       | T       | Trigger?   | MCL?   |            | 100     |
| 4  | Arsenic  | 20.01         | mg/l        | 0.01      | 0.05       | 0.05    | NO   | NO   | 3113B      | 1981    |
| 5  | Barium   | <0,1          | mg/l        | 0.1       | 2          | 2       | +  |  | 3113B      | 11/1    |
| 6  | Cadmium  | <0.002        | mg/l        | 0.002     | 0.005      | 0.005   | +  |  | 3113B      | 1111    |
| 7  | Chromium   | <0.01         | mg/l        | 0.01      | 0.1        | 0.1     | +  |  | 3113B      | 110     |
| 11   | Mercury  | <0.0005       | mg/l        | 0.0005    | 0.002      | 0.002   | +  | <del>                                     </del> | 3112B      | 196     |
| 12   | Selenium   | < 0.005       | mg/l        | 0.005     | 0.05       | 0.05    | +-   | -+-  | 3113B      | 11/1    |
| 110  | Beryllium  | < 0.002       | mg/l        | 0.003     | 0.004      | 0.004   | +  | <del>                                     </del> | 3113B      | 11/10   |
| 111  | Nickel   | < 0.04        | mg/l        | 0.04      | 0.1        | 0.1     | +  |  | 3111B      | 110     |
| 112  | Antimony   | < 0.002       | mg/l        | 0.005     | 0.006      | 0.006   | +  |  | 3113B      | MY      |
| 113  | Thallium   | <0.001        | mg/l        | 0.002     | 0.002      | 0.002   | +  |  | 3113B      | 1860    |
| 116  | Cyanide  | < 0.05        | mg/l        | 0.05      | 0.2        | 0.2     |  |  | 4500-CNF   | 116     |
| 19   | Flouride   | _ ·           | mg/l        | 0.2       | 2          | 4       |  |  | 4110B      | 1/1/6   |
| 114  | Nitrite - N  | <0.2          | mg/l        | 0.5       | 0.5        | 1       |  | <del></del>                                      | 4110B      | 11/100  |
| 20   | Nitrate - N  | 20,4          | mg/l        | 0.5       | 5          | 10      |  |  | 4110B      | 100     |
| 161  | Total Nitrate/Nitrite  |               | mg/l        | 0.5       | 5          | 10      | <del>                                     </del> |  | 4110B      | MY      |
|  |  | EPA REGULAT   | ED (Second  | ary)      |            | ,       |  |  |            |         |
| 8  | Iron   | 0,12          | mg/l        | 0.1       | 0.3        | 0.3     | NO   | NO   | 3111B      | 10      |
| 10   | Manganese  | 0.049         | mg/l        | 0.01      | 0.05       | 0.05    |  | 1,000  | 3111B      | MIL     |
| 13   | Silver   | 20.01         | mg/l        | 0.01      | 0.1        | 0.1     |  | 1  | 3111B      | 1911    |
| 21   | Chloride   | 426           | mg/1        | 20        | 250        | 250     | YES  | YES  | 4110B      | LAL     |
| 22   | Sulfate  | 12            | mg/1        | 10        | 250        | 250     | NO   | ND   | 4110B      | 11/1    |
| 24   | Zinc   | < 0.05        | mg/1        | 0.2       | 5          | 5       | NO   | NO   | 3111B      | MIL     |
|  |  | STATE RE      | GULATED     |           |            |         |  |  |            |         |
| 14   | Sodium   | 156           | mg/l        | 5         |            |         |  |  | 3111B      | MIL     |
| 15   | Hardness   | 219           | mg/l        | 10        |            |         |  |  | 2340C      | 1911    |
| 16   | Conductivity   | 1,140         | umhos/cm    | 10        | 700        | 700     | YES  | YES  | 2510B      | HL      |
| 17   | Turbidity  | 0.2           | NTU         | 0.1       | 11         |         | NO   |  | 2130B      | IFL     |
| 18   | Color  | <b>&lt;</b> 5 | color units | 5         | 15         | 15      | NO   | NO   | 2120B      | IN      |
| 26   | Total Dissolved Solids   | 858           | mg/l        | 150       | 500        | 500     | 453  | 423  | 2540C      | Smo     |
| , d  |  | STATE UNR     | EGULATEI    | )         | 1.12       |         |  | *  |            |         |
| 9  | Lead ·   | <0.002        | mg/l        | 0.002     |            |         |  |  | 3113B      | MOP     |
| 23   | Copper .   | <0.02         | mg/l        | 0.2       |            |         |  |  | 3111B      | AVI     |

COMMENTS: FC28





1515 80th St. E. Tacoma, WA 984 (253) 531-3121 SEE BACK FOR INSTRUCTIONS

# **INORGANIC CHEMICALS (IOCS) REPORT**

| Lab/Sa    | ID No:PENDIN<br>ample No: 0895   | 1132              | Date Co                           | ollected:            | 8-16-0     | ) [    | DOF                           | I Source I | NO:PENL        | MAIC   |
|-----------|--|-------------------|-----------------------------------|----------------------|------------|--------|-------------------------------|------------|----------------|--------|
|           | le Source Nos: N/A   |                   |                                   |                      | ple Type:  |        | Sami                          | ole Purpo  | se:            | 110    |
|           |  | hi In             | Domintos                          |                      |            | ., Te. | apervisor:                    | 10         |                |        |
|           | eceived:8 -16  |                   |                                   |                      | 8-22-0     |        |                               | 11/0       | /              |        |
| County    | Thurston   | Dat               | e Digested                        | : /                  | VA (       | Group: | A B                           | Oth        | er             |        |
| Sample    | Location: Well h   | corol.            | ACert                             | 1 13                 | 9          |        |                               |            |                |        |
| Send R    | eport To: A man A co   | Mall D            | 11000                             | , , , , <sub>B</sub> | ill to: AA | 004K   | 7                             |            |                |        |
| zeria iv  | eport To: Arcadia<br>170 S.E.  | well on           | ling                              | 20                   | 177        | WIR    |                               |            |                |        |
|           | 170 5.8.   | Walker            | Park                              | Ra.                  |            |        |                               |            |                |        |
|           | Shelton,   | WA 985            | -84                               |                      |            |        |                               |            |                |        |
| OOH#      | ANALYTES   | RESULTS           | UNITS                             | SRL                  | TRIGGER    | MCL    | EXC                           | EEDS       | Method/        | Analys |
|           |  |                   | GULATED                           | L                    |            | 1      | +                             | MCL?       | 1              |        |
|           | T  |                   |                                   | 0.01                 | 0.05       | T 0.05 | Trigger?                      |            | 2112D          | 161    |
| 4         | Arsenic  | <001              | mg/l                              | 0.01                 | 0.05       | 0.05   | NO                            | No         | 3113B          | 17/    |
| 5         | Barium   | <0.1              | mg/l                              | 0.1                  | 2          | 2      |                               |            | 3113B          | 1      |
| _6        | Cadmium  | < 0 002           | mg/l                              | 0.002                | 0.005      | 0.005  | -                             |            | 3113B          | M      |
| 7         | Chromium   | <0.01             | mg/l                              | 0.01                 | 0.1        | 0.1    |                               |            | 3113B          | 1/1    |
| 11        | Mercury  | < 0.0005          | mg/1                              | 0.0005               | 0.002      | 0.002  |                               |            | 3112B          | 1      |
| 12        | Selenium   | <0.005            | mg/l                              | 0.005                | 0.05       | 0.05   | +                             |            | 3113B          | 14     |
| 110       | Beryllium  | <0.002            | mg/l                              | 0.003                | 0.004      | 0.004  |                               |            | 3113B          | M      |
| 111       | Nickel   | <0.04             | mg/l_                             | 0.04                 | 0.1        | 0.1    |                               |            | 3111B          | 14     |
| 112       | Antimony   | <0.002            | mg/l                              | 0.005                | 0.006      | 0.006  |                               |            | 3113B<br>3113B | 19     |
| 113       | Thallium   | <0.05             | mg/l                              | 0.002                | 0.002      | 0.002  |                               | -          | 4500-CNF       | 1      |
| 116<br>19 | Cyanide<br>Flouride  | 0.3               | mg/1                              | 0.03                 | 2          | 4      |                               |            | 4110B          | 1      |
| 114       | Nitrite - N  | <0.2              | mg/1                              | 0.5                  | 0.5        | 1      |                               |            | 4110B          | 11     |
| 20        | Nitrate - N  | <0.2              | mg/l<br>mg/l                      | 0.5                  | 5          | 10     |                               |            | 4110B          | 10     |
| 161       | Total Nitrate/Nitrite  | <0.4              | mg/1                              | 0.5                  | 5          | 10     |                               |            | 4110B          | th.    |
| 101       | Total Pittate/Pittate  | EPA REGULAT       |                                   |                      | 9          | 1 10   | V                             |            | 11100          | 1      |
|           |  |                   | ı — `                             | 1                    | 0.2        | 1 02   | 4.0                           | 4/5        | 21110          | 1      |
| 8         | Iron   | 0.09              | $\frac{\text{mg/I}}{\text{mg/I}}$ | 0.1                  | 0.3        | 0.3    | NO                            | No         | 3111B          | 1/1    |
| 10        | Manganese  | 0.021             | mg/l                              | 0.01                 | 0.05       | 0.05   | $+$ $\downarrow$ $\downarrow$ |            | 3111B<br>3111B | 11     |
| 13        | Silver<br>Chloride   | 431               | mg/1<br>mg/1                      | 20                   | 250        | 250    | YES                           | YES        | 4110B          | LHL    |
| 21<br>22  | Sulfate  | 13                | $\frac{mg/1}{mg/1}$               | 10                   | 250        | 250    | NO                            | NO         | 4110B<br>4110B | 161    |
| 24        | Zinc   | <0.05             | mg/1                              | 0.2                  | 5          | 5      | V                             | 1          | 3111B          | 1      |
| 27        | Zilic  | 1                 | GULATED                           | 0.21                 |            | 19     | ν                             | γ          | Joine          | 121    |
| 1.1       | [C. 1:   | 153               | 1                                 | 5                    |            | T      |                               |            | 3111B          | 6      |
| 14        | Sodium<br>Hardness   | 226               | mg/1<br>mg/1                      | 10                   |            |        |                               |            | 2340C          | on     |
| 15        | The state of the s | 1,60              | umhos/cm                          | 10                   | 700        | 700    | YES                           | YES        | 2510B          | LHL    |
| 16<br>17  | Conductivity Turbidity   | 0.2               | NTU                               | 0.1                  | 1          | 700    | NO                            | 1-/        | 2130B          |        |
| 18        | Color  | <5                | color units                       | 5                    | 15         | 15     | NO                            | NO         | 2130B<br>2120B | HI     |
| 18<br>26  | Total Dissolved Solids   | 837               | mg/I                              | 150                  | 500        | 500    | 45                            | 123        | 2540C          | Or     |
|           | Total Dissolved Johus  | STATE UNR         |                                   |                      | 2000       | 1 300  | ,,,,                          | 1-1        | 20100          | 101    |
| 9         | Lead   | STATE UNK < 0.002 |                                   | 0.002                |            | T      |                               |            | 21120          | to     |
|           | T.E. OCAN  | 1 11 11117        | mg/l                              | 0.002                |            | I      | 1                             |            | 3113B          | 141    |

COMMENTS: FC 28





# Memorandum

DATE:

September 18, 2001

TO:

DANNY HOWARD, BCBC

FROM:

Mike Olden, P.E., Gibbs & Olson

RE:

**Project Issues** 

File:

999.1188.3000

This is in regard to various issues associated with overall water system compliance. Specifically, contact time, proposed project scope and project schedules.

We have reviewed the contact time issues with regard to revised demands and existing piping. After meeting with you to determine actual piping conditions and re-evaluating system demands based on the data in the Water System Plan (WSP), the minimum contact time available at Peak Hour Demand (PHD) is 4.0 minutes at lot 3. This minimum contact time is based on using 140 gpm (max pump flow) for the 300-feet of 4-inch pipe and 15 gpm for the 2-inch line to the one service at lot 3. In review of the piping and demands in other areas of the system, the minimum contact time for lots 5A and 6K (first services on other distribution lines) have 4.6 and 4.3 minutes respectively. At the minimum of 4 minutes, 1.5 mg/l of free chlorine residual is required to achieve the required CT (concentration x time) product of 6. This free chlorine residual should be met at all times at the outside tap at lot 3. Because of the infrequent use of this line, approximately 300 to 400 gallons of water should be discharged from the tap prior to taking residual measurements. At typically hose bib flow rates, this should take about 30 to 45 minutes. The low residual measurements identified in past samples is an indication that the actual contact time in this line is much longer than the predicted values.

We have reviewed the well data and have identified a new project scope. The attached spreadsheets are a summary of preliminary scope and cost estimates. In summary, the system will require installation of 2 well pumps, a 35,000 gallon tank, booster pumps and standby power. The use of the tank and booster system should alleviate the need for three phase power. Preliminary research shows that single phase pumps are capable of supplying the tank and providing system pressure. At the very least, we will use single phase power with variable frequency drives if the pumping requires three phase motors. We may also want to utilize variable frequency drives for the booster pumps to minimize pressure storage and pump house improvements. Issues such as these will be further evaluated in the design process.

The water quality data collected during pump tests indicates high levels of sodium and nitrate. These are not considered public health concerns, but may affect the system over the long term. You C:/K2G&Oo\Update 2 Memo

September 18, 2001 Danny Howard Page 2 of 2

should consult with DOH regarding their current and expected policies regarding these water quality constituents. I have included some general information on sodium and chloride in the attachments. My biggest concern is the potential for variability over time. If levels of sodium and chloride increase, the aesthetic water quality will decrease. Unfortunately, the only feasible way to determine the long term impacts is through pumping the well on a regular basis. Treatment is not a viable option at this time due to cost. For individual home owner aesthetic and hypertension related concerns, there are under the counter reverse osmosis units available.

We have also evaluated a rough schedule for implementing the proposed improvements. Upon receipt of adequate funding, we can provide the necessary design services and project management to start construction with 7 months. This timeline may be shortened if necessary, but represents a conservative estimate of normal project timing. Therefore if funding is secured within the next month or two, the project can likely be completed in the summer of 2002.

Good luck on your funding and compliance issues. If you have any questions, please call me at (360) 352-1120.



## STATE OF WASHINGTON

# DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 21, 2000

Jim Rioux Department of Health Southwest Drinking Water Operations PO Box 47823 Olympia WA 98504-7823

Dear Mr. Rioux:

Hear are my comments on the Bronson Beach Club Water System Plan. Rather than comment section by section, I addressed what I thought were the most important issues and referenced the appropriate sections:

- WATER RIGHT: (Page IV-3) Water Right Claim #117944 appears to be a valid claim, stating first beneficial use of water in 1914 and pre-dating the state groundwater code by some 40 years. However, the validity and quantities of a claim can only be determined by superior court adjudication, which is not likely to occur anytime soon. It is highly doubtful that the annual quantity as claimed is 840 AFY (Page VIII-2). A water right is determined by the actual amount of water put to beneficial use and in reality their perfected water right is probably in the neighborhood of 50 AFY. My recommendation is to file an application for a Water Right Permit under WAC 173-152-050, which will give them priority processing as a public health and safety issue. A Water Right Permit/Certificate will ensure a more reliable and secure water right for the system.
- ➤ CONSERVATION: (Sections II and IV) The Average Daily Demand per connection of 600 gpd is high. DOE's rule-of-thumb is 450 gpd per connection which is still generous for an average home. In order to reach a reasonable ADD, I recommend a minimum 25% conservation goal. The maximum annual quantity given on the Water Right Permit will be based on proposed use at full buildout. A projected buildout of about 100 homes would generally be allowed 50 AFY or 0.5 AFY per connection.
- ➤ GENERAL: DOE encourages going to a deeper, confined aquifer for a better and more reliable source of supply. There will also be the added environmental benefit of a reduced and buffered impact to the surface waters in the Deschutes Basin.

If you have any questions please call or email me at (360) 407-6643, ploc461@ecy.wa.gov. Also, I would be glad to assist and advise in preparing the water right application. Thank you for the opportunity to comment.

Sincerely

Pat Locke

DOE, Water Resources Program

PL:th

cc:

Rich Hoey, WSDOH



## STATE OF WASHINGTON

RECEIVED

## DEPARTMENT OF HEALTH \*00 AUG -7 A10:52

SOUTHWEST DRINKING WATER OPERATIONS

2411 Pacific Ave. • P.O. Box 47823 • Olympia, Washington 98504-7823 S W REGIONAL DEFICE (360) 664-0768 • FAX (360) 664-8058

TDD Relay Service: 1-800-833-6388

August 4, 2000

Pat Locke Department of Ecology SW Regional Office 300 Desmond Drive Avenue SE Lacey, Washington 98504-7775

Dear Mr. Locke:

Subject

Bronson Beach Club, ID #08640E, Thurston County; 2000 Water System Plan, DOH Project #00-0801

Attached please find a copy of the Bronson Beach Club Water System Plan (WSP). Consistent with the memorandum of understanding between the Department of Health (Department) and the Department of Ecology (Ecology) regarding joint review and approval of water system plans and water right permits, this plan is being forwarded to your office for review and comment. Comments should be focused on the Description of Water System (existing and future service area sections only), Basic Planning Data and Water Demand Forecasting (projected land use, sections only), Conservation Program, and Capitol Improvement Plan (water right improvements only). These chapters should include a review of oviction and the control of the chapters should include a review of oviction and the chapters are the chapters and the chapters are the chapters and the chapters are the future population and water demand sections only), System Analysis (water right evaluation 1, v111 - 2 only). These chapters should include a review of existing and projected water use and demand projections in relation to water rights held by the system and identify proposed system improvements, which may require additional water rights. Comments on other chapters are welcome, but concurrence from Ecology on other chapters is not required.

Please provide written comments before October 5, 2000. If comments from Ecology indicate that the existing water use exceeds current water rights or that the Capitol Improvements Program proposes new source development which is not available, modifications to the water system plan specifically requested by Ecology will be required by the Department prior to final approval of the WSP. Any changes to the plan regarding water rights will be forwarded to your office for review.

The Department will not approve the WSP unless concurrence is received from Ecology on the chapters noted above. If no response is received by the comment deadline, the Department shall make a determination of acceptability for compliance based on information provided by the

scription 18

Pat Locke Page 2 August 4, 2000

water system. Please mail your comments to: Department of Health, Jim Rioux, Southwest Regional Planner, 2411 Pacific Avenue, PO Box 47823, Olympia. WA 98504-7823.

If you have any questions please contact Jim Rioux at (360) 664-3952. Thank you for your time and assistance.

Sincerely,

**HM RIOUX** 

WSDOH Regional Planner

Enclosure


cc: Tim Morgon, Bronson Beach Club


Phil Brinker, Thurston County Health Department

Michael Olden, Gibbs & Olson, Inc.


Rich Hoey, WSDOH

Teresa Strange, WSDOH





| Section           | Name -  | Elev.<br>m.s.l.                        | Area<br>Acres                      | Max.<br>Depth<br>Feet            | Use Reference   |
|-------------------|---|--|------------------------------------|----------------------------------|---|
|                   |   |  | T 16 N                             | R 2 V                            | v   |
| 3-NE1/4           | DEEP LK                                       |  | W'ly to Sc                         |                                  | R Q39(R)<br>ersylvania State<br>ia Beaver cr to                                 |
|                   |   | 2                                      | T 16 N                             | R 3 V                            | ٧   |
| 5-P               | POND  |  |                                    | ock—in/out,<br>longer exis       | R Q55-1<br>Mill cr to Black   |
| 29-D              | Unnamed Lk                                    | 100-a                                  | 3.0-с                              |                                  | R Q55-1<br>de Black Rv  |
|                   |   |  | T 17 N                             | R 1 V                            | ٧   |
| 14-R              | Unnamed Lk                                    | 325-a<br>21/4 mi S fi<br>cr & Desch    | 3.0-e<br>m Kellys K<br>autes Rv—o  | sh<br>orner—dr W<br>bs '51       | R Q39(R) Thy to Spurgeon  |
| 18-Q              | SHEEHAN LK                                    | 200-a<br>1 mi SW f<br>Lk—Deschu        | 4.5-c<br>m East Oly<br>ites Rv dr— | 15-e<br>mpia, & 2 r<br>B, CF     | R Q39(R)<br>ni SE fm Munn   |
| 27-L              | POST LK                                       | 400-a<br>2500' E fm<br>chutes Rv o     |                                    | <b>sh</b><br>Lk, in ma           | R Q39(R) rshy area—Des-   |
| 28-K<br>at dam    | BUSHMAN LK<br>(Post Lk).<br>(Tempo Lk)        | orig Bushm                             | an Lk (13 a                        | cres) raised                     | R Q39(R)<br>fm Offutt Lk—<br>by dam in out-<br>cap 400 a.f.—WR<br>po Lk—CT, RB, |
| 33-E<br>at outlet | OFFUTT LK▲                                    |  | l <b>92.0-c</b><br>Olympia—di      | 25-s<br>NE'ly to De              | R Q39(R)<br>eschutes Rv—RB  |
|                   |   |  | T 17 N                             | I — R 2 V                        | V   |
| 1-L/P             | MUNN LK                                       | 139-s<br>4 mi S fm<br>to Deschute      | 29.8-c<br>Olympia, &<br>es Rv—SR   | 19-s<br>11/4 mi S 1              | R Q39(R)<br>m Ward Lk—dr  |
| 1-M               | SUSAN LK                                      | 140-a<br>700' W fm<br>Munn lk i<br>—SR | 3.5-c<br>N end of<br>n h/w per     | 15-s<br>Munn Lk—l<br>iods—Deschi | R Q39(R)<br>becomes part of<br>utes Rv w/shed                                   |
| 4-A               | TROSPER LK<br>(Ferguson Lk),<br>(Glenwood Lk) | 150-a<br>3½ mi S i<br>Budd Inlet       |                                    |                                  | R Q39(R) o Percival cr &  |
| 11-A              | Unnamed Lk                                    | 150-a<br>2100' W fm<br>Johnson ro      | 2.5-c<br>end of Mur<br>ad—Deschu   | sh<br>n Lk, adj to<br>tes Rv dr— | R Q39(R) S side Gleason/-WR Cert 5126   |
| 12-C/D            | TRAILS END LK                                 | 140-a<br>4 mi S fm                     | 12.8-c<br>Olympia,                 | 40+s<br>& 600' S fm              | R Q39(R) n Munn Lk—old to Munn Lk &   |
| 16-Ga             | Unnamed Lk                                    | 195-е                                  | 1.5-e<br>Olympia,                  | 6-e                              | R Q39(R)<br>de new US 99—   |
| 21-Ba             | Unnamed Lk                                    |  | 1.0-e<br>Olympia,<br>cr to Blac    |                                  | R Q39(R)<br>de new US 99—   |



Customer: Bronson Beach Country Club

Phone: Home: Fax: E-mail Cell:

Contact:

Project: AGH 139

Date of Test:

LEVEL

gallons per min. feet-10ths

GPM

# Pump Test Data: gallons per min. feet-10ths

| TIME     | GPM | LEVEL   |
|----------|-----|---------|
| 10 Sec.  | 50  | 16.5ft  |
| 20       | 50  | 19.7ft  |
| 30       | 50  | 23ft    |
| 40       | 50  | 25ft    |
| 50       | 50  | 26.4ft  |
| 60       | 50  | 27.8ft  |
| 70       | 50  | 29.8ft  |
| 80       | 50  | 31.4ft  |
| 90       | 50  | 32.7ft  |
| 100      | 50  | 34.3ft  |
| 110      | 50  | 35.6ft  |
| 2 Min.   | 50  | 36.6ft  |
| 2.5      | 50  | 40.5ft  |
| 3.0      | 50  | 43ft    |
| 3.5      | 50  | 45ft    |
| 4.0      | 50  | 46.9ft  |
| 4.5      | 50  | 48.7ft  |
| 5 Min.   | 50  | 50.2ft  |
| 6        | 50  | 52.9ft  |
| 7        | 50  | 55.1ft  |
| 8        | 50  | 57.6ft  |
| 9        | 50  | 58.4ft  |
| 10       | 50  | 60.1ft  |
| 11       | 100 | 68ft    |
| 12       | 100 | 81ft    |
| 13       | 100 | 85.8ft  |
| 14       | 100 | 84.2ft  |
| 15 Min.  | 100 | 97.3ft  |
| 20       | 80  | 113.7ft |
| 25       | 80  | 129ft   |
| 30       | 72  | 142.6ft |
| 35       | 72  | 136ft   |
| 40       | 75  | 138.7ft |
| 45       | 75  | 141ft   |
| 50 Min.  | 75  | 139.6ft |
| 60       | 75  | 141.3ft |
| 70       | 75  | 143.1ft |
| 80       | 75  | 145.2ft |
| 90       | 75  | 142.6ft |
| 100 Min. | 75  | 142.7ft |
| 130      | 75  | 147.4ft |
| 160      | 75  | 146.5ft |
| 190      | 75  | 146.5ft |
| 210      | 75  | 146.5ft |
| 240      | 75  | 146.5ft |
| 270      | 75  | 146.5ft |
| 5 Hrs.   | 75  | 146.5ft |
| 6        | 75  | 146.5ft |
|          |     |         |

| 7       | 75 | 146.5ft |
|---------|----|---------|
| 8       | 75 | 146.5ft |
| 9       | 75 | 146.5ft |
| 10      | 75 | 146.5ft |
| 11      | 75 | 146.5ft |
| 12      | 75 | 146.5ft |
| 13      | 75 | 146.5ft |
| 14      | 75 | 146.5ft |
| 15      | 75 | 146.5ft |
| 16      | 75 | 146.5ft |
| 17      | 75 | 146.5ft |
| 18      | 75 | 146.5ft |
| 19      | 75 | 146.5ft |
| 20      | 75 | 146.5ft |
| 21      | 75 | 146.5ft |
| 22      | 75 | 146.5ft |
| 23      | 75 | 146.5ft |
| 24      | 75 | 146.5ft |
| 25      | 75 | 146.5ft |
| 26      | 75 | 146.5ft |
| 27      | 75 | 146.5ft |
| 28      |    |         |
| 29      |    |         |
| 30      |    |         |
| 31      |    |         |
| 32      |    |         |
| 33      |    |         |
| 34      |    |         |
| 35      |    |         |
| 36      |    |         |
| 37      |    |         |
| 38      |    |         |
| 39      |    |         |
| 40      |    |         |
| 41      |    |         |
| 42      |    |         |
| 43      |    |         |
| 44      |    |         |
| 45      |    |         |
| 46      |    |         |
| 47      |    |         |
| 48 Hrs. |    |         |
| 56      |    |         |
| 64      |    |         |
| 72      |    |         |
| 80      |    |         |
| 88      |    |         |
| 96 Hrs. |    |         |
|         |    |         |

# Recovery Data:

feet-10ths

| 10 Sec. 146.5ft 20 143.9ft 30 141.2ft 40 138.4ft 50 134.9ft 60 131.2ft 70 129.4ft 80 128.8ft 90 127ft 100 125.89ft 110 123.29ft 2 Min. 122.59ft 3.0 118.79ft 3.5 117.69ft 4.0 116.19ft 4.5 114.69ft 5 Min. 112.39ft 7 107.9ft 8 106.5ft 7 107.9ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs. 6   | TIME    | LEVEL            |
|---|---------|------------------|
| 20 143.9ft 30 141.2ft 40 138.4ft 50 134.9ft 60 131.2ft 70 129.4ft 80 128.8ft 90 127ft 100 125.89ft 110 123.29ft 2 Min. 122.59ft 3.0 118.79ft 3.5 117.69ft 4.0 116.19ft 4.5 114.69ft 5 Min. 112.39ft 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 50 Min. 83.8ft 60 81.3ft 100 72.7ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   | 10 Sec. | 146.5ft          |
| 30  | 20      | 143.9ft          |
| 50         134.9ft           60         131.2ft           70         129.4ft           80         128.8ft           90         127ft           100         125.89ft           110         123.29ft           2 Min.         122.59ft           2.5         119.29ft           3.0         118.79ft           4.0         116.19ft           4.5         114.69ft           5 Min.         112.39ft           6         109.5ft           7         107.9ft           8         106.5ft           9         105.4ft           10         104.3ft           11         103.3ft           12         102.4ft           13         101.1ft           14         100.3ft           15 Min.         99.6ft           20         96.2ft           25         93.5ft           30         91.3ft           40         88.6ft           45         86.29ft           50 Min.         83.8ft           60         81.3ft           70         78.4ft           80         7 | 30      | 141.2ft          |
| 50         134.9ft           60         131.2ft           70         129.4ft           80         128.8ft           90         127ft           100         125.89ft           110         123.29ft           2 Min.         122.59ft           2.5         119.29ft           3.0         118.79ft           4.0         116.19ft           4.5         114.69ft           5 Min.         112.39ft           6         109.5ft           7         107.9ft           8         106.5ft           9         105.4ft           10         104.3ft           11         103.3ft           12         102.4ft           13         101.1ft           14         100.3ft           15 Min.         99.6ft           20         96.2ft           25         93.5ft           30         91.3ft           40         88.6ft           45         86.29ft           50 Min.         83.8ft           60         81.3ft           70         78.4ft           80         7 | 40      | 138.4ft          |
| 70 129.4ff 80 128.8ff 90 127ff 100 125.89ff 110 123.29ff 2 Min. 122.59ff 2.5 119.29ff 3.0 118.79ff 4.0 116.19ff 4.5 114.69ff 5 Min. 112.39ff 6 109.5ff 7 107.9ff 8 106.5ff 9 105.4ff 10 104.3ff 11 103.3ff 12 102.4ff 13 101.1ff 14 100.3ff 15 Min. 99.6ff 20 96.2ff 25 93.5ff 30 91.3ff 40 88.6ff 45 86.29ff 50 Min. 83.8ff 60 81.3ff 70 78.4ff 80 72.7ff 90 65.8ff 100 Min. 59.3ff 1100 Min. 59.3ff 1100 Min. 59.3ff 120 240 270 5 Hrs.   | 50      | 134.9ft          |
| 80 128.8ft 90 127ft 100 125.89ft 110 123.29ft 2 Min. 122.59ft 2.5 119.29ft 3.0 118.79ft 3.5 117.69ft 4.0 116.19ft 4.5 114.69ft 5 Min. 112.39ft 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 30 91.3ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  | 60      |                  |
| 90 127ff 100 125.89ff 110 123.29ff 2 Min. 122.59ff 2.5 119.29ff 3.0 118.79ff 3.5 117.69ff 4.0 116.19ff 4.5 114.69ff 5 Min. 112.39ff 6 109.5ff 7 107.9ff 8 106.5ff 9 105.4ff 10 104.3ff 11 103.3ff 12 102.4ff 13 101.1ff 14 100.3ff 15 Min. 99.6ff 20 96.2ff 25 93.5ff 30 91.3ff 35 89.9ff 40 88.6ff 45 86.29ff 50 Min. 83.8ff 60 81.3ff 70 78.4ff 100 Min. 59.3ff 130 39.8ff 160 21.4ff 190 13.7ff 210 240 270 5 Hrs.   | 70      | 129.4ft          |
| 100 125.89ft 110 123.29ft 2 Min. 122.59ft 2.5 119.29ft 3.0 118.79ft 3.5 117.69ft 4.0 116.19ft 4.5 114.69ft 5 Min. 112.39ft 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  | 80      | 128.8ft          |
| 110 123.29ff 2 Min. 122.59ff 2.5 119.29ff 3.0 118.79ff 3.5 117.69ff 4.0 116.19ff 4.5 114.69ff 5 Min. 112.39ff 6 109.5ff 7 107.9ff 8 106.5ff 9 105.4ff 10 104.3ff 11 103.3ff 12 102.4ff 13 101.1ff 14 100.3ff 15 Min. 99.6ff 20 96.2ff 25 93.5ff 30 91.3ff 35 89.9ff 40 88.6ff 45 86.29ff 50 Min. 83.8ff 60 81.3ff 70 78.4ff 80 72.7ff 90 65.8ff 100 Min. 59.3ff 130 39.8ff 160 21.4ff 190 13.7ff 210 240 270 5 Hrs.   | - 90    | 127ft            |
| 2 Min. 122.59ft 2.5 119.29ft 3.0 118.79ft 3.5 117.69ft 4.0 116.19ft 4.5 114.69ft 5 Min. 112.39ft 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  |         | 125.89ft         |
| 2 Min. 122.59ft 2.5 119.29ft 3.0 118.79ft 3.5 117.69ft 4.0 116.19ft 4.5 114.69ft 5 Min. 112.39ft 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  | 110     | 123.29ft         |
| 2.5 119.29ft 3.0 118.79ft 3.5 117.69ft 4.0 116.19ft 4.5 114.69ft 5 Min. 112.39ft 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  | 2 Min.  |                  |
| 3.0 118.79ff 3.5 117.69ff 4.0 116.19ff 4.5 114.69ff 5 Min. 112.39ff 6 109.5ff 7 107.9ff 8 106.5ff 9 105.4ff 10 104.3ff 11 103.3ff 12 102.4ff 13 101.1ff 14 100.3ff 15 Min. 99.6ff 20 96.2ff 25 93.5ff 30 91.3ff 35 89.9ff 40 88.6ff 45 86.29ff 50 Min. 83.8ff 60 81.3ff 70 78.4ff 80 72.7ff 90 65.8ff 100 Min. 59.3ff 130 39.8ff 160 21.4ff 190 13.7ff 210 240 270 5 Hrs.   |         | 119.29ft         |
| 3.5 117.69ft 4.0 116.19ft 4.5 114.69ft 5 Min. 112.39ft 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  |         |                  |
| 4.0 116.19ft 4.5 114.69ft 5 Min. 112.39ft 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         |                  |
| 4.5 114.69ft 5 Min. 112.39ft 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  |         |                  |
| 5 Min.         112.39ft           6         109.5ft           7         107.9ft           8         106.5ft           9         105.4ft           10         104.3ft           11         103.3ft           12         102.4ft           13         101.1ft           14         100.3ft           15 Min.         99.6ft           20         96.2ft           25         93.5ft           30         91.3ft           35         89.9ft           40         86.6ft           45         86.29ft           50 Min.         83.8ft           60         81.3ft           70         78.4ft           80         72.7ft           90         65.8ft           100 Min.         59.3ft           130         39.8ft           160         21.4ft           190         13.7ft           210         240           270         5 Hrs.   |         |                  |
| 6 109.5ft 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         |                  |
| 7 107.9ft 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         |                  |
| 8 106.5ft 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         |                  |
| 9 105.4ft 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         |                  |
| 10 104.3ft 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         |                  |
| 11 103.3ft 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  |         |                  |
| 12 102.4ft 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         |                  |
| 13 101.1ft 14 100.3ft 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  |         | 100.011          |
| 14         100.3ft           15 Min.         99.6ft           20         96.2ft           25         93.5ft           30         91.3ft           35         89.9ft           40         88.6ft           45         86.29ft           50 Min.         83.8ft           60         81.3ft           70         78.4ft           80         72.7ft           90         65.8ft           100 Min.         59.3ft           130         39.8ft           160         21.4ft           190         13.7ft           210         240           270         5 Hrs.   |         | 102.411          |
| 15 Min. 99.6ft 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  |         |                  |
| 20 96.2ft 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         |                  |
| 25 93.5ft 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         | 94.011           |
| 30 91.3ft 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         | 90.211<br>03.5ft |
| 35 89.9ft 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         | 93.311           |
| 40 88.6ft 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         | 91.311           |
| 45 86.29ft 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         |                  |
| 50 Min. 83.8ft 60 81.3ft 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.  |         |                  |
| 60 81.3ff 70 78.4ff 80 72.7ff 90 65.8ff 100 Min. 59.3ff 130 39.8ff 160 21.4ff 190 13.7ff 210 240 270 5 Hrs.   |         | 83 044           |
| 70 78.4ft 80 72.7ft 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         | 81 2#            |
| 80 72.7ft<br>90 65.8ft<br>100 Min. 59.3ft<br>130 39.8ft<br>160 21.4ft<br>190 13.7ft<br>210<br>240<br>270<br>5 Hrs.  |         | 70 4ft           |
| 90 65.8ft 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         | 70.411<br>70.7ft |
| 100 Min. 59.3ft 130 39.8ft 160 21.4ft 190 13.7ft 210 240 270 5 Hrs.   |         | 65.8ft           |
| 130 39.8ft<br>160 21.4ft<br>190 13.7ft<br>210<br>240<br>270<br>5 Hrs.   |         |                  |
| 160 21.4ft<br>190 13.7ft<br>210<br>240<br>270<br>5 Hrs.   |         |                  |
| 190 13.7ft<br>210<br>240<br>270<br>5 Hrs.   |         |                  |
| 210<br>240<br>270<br>5 Hrs.   |         |                  |
| 240<br>270<br>5 Hrs.  |         | 13.711           |
| 270<br>5 Hrs.   |         |                  |
| 5 Hrs.  |         |                  |
|   |         |                  |
| 0   |         |                  |
|   | 0       |                  |

| SWL:  |  |
|-------|--|
| Date: |  |

13.7ft

Notes:

Time:

Customer: Bronson Beach Country Club

Phone: Home: Fax:

Contact:

E-mail Cell:

Project: AGH 140

Date of Test:

# Pump Test Data:

| Pump lest Data:            |          |         |  |  |  |  |  |  |  |
|----------------------------|----------|---------|--|--|--|--|--|--|--|
| gallons per min. feet-10th |          |         |  |  |  |  |  |  |  |
| TIME                       | GPM      | LEVEL   |  |  |  |  |  |  |  |
| 10 Sec.                    | 50       | 16.5ft  |  |  |  |  |  |  |  |
| 20                         | 50       | 20.1ft  |  |  |  |  |  |  |  |
| 30                         | 50       | 23.4ft  |  |  |  |  |  |  |  |
| 40                         | 50       | 25.2ft  |  |  |  |  |  |  |  |
| 50                         | 50       | 26.9ft  |  |  |  |  |  |  |  |
| 60                         | 50       | 29.1ft  |  |  |  |  |  |  |  |
| 70                         | 50       | 30.1ft  |  |  |  |  |  |  |  |
| 80                         | 50       | 31.6ft  |  |  |  |  |  |  |  |
| 90                         | 50       | 32.9ft  |  |  |  |  |  |  |  |
| 100                        | 50       | 34.9ft  |  |  |  |  |  |  |  |
| 110                        | 50       | 35.7ft  |  |  |  |  |  |  |  |
| 2 Min.                     | 50       | 36.8ft  |  |  |  |  |  |  |  |
| 2.5                        | 50       | 40.6ft  |  |  |  |  |  |  |  |
| 3.0                        | 50       | 43.2ft  |  |  |  |  |  |  |  |
| 3.5                        | 50       | 45.4ft  |  |  |  |  |  |  |  |
| 4.0                        | 50       | 47.2ft  |  |  |  |  |  |  |  |
| 4.5                        | 50       | 49.1ft  |  |  |  |  |  |  |  |
| 5 Min.                     | 50       | 50.6ft  |  |  |  |  |  |  |  |
| 6                          | 50       | 53.2ft  |  |  |  |  |  |  |  |
| 7                          | . 50     | 55.4ft  |  |  |  |  |  |  |  |
| 8                          | 50       | 57.3ft  |  |  |  |  |  |  |  |
| 9                          | 50       | 58.9ft  |  |  |  |  |  |  |  |
| 10                         | 50       | 60.3ft  |  |  |  |  |  |  |  |
| 11                         | 100      | 70.4ft  |  |  |  |  |  |  |  |
| 12                         | 100      | 81.2ft  |  |  |  |  |  |  |  |
| 13                         | 100      | 86.4ft  |  |  |  |  |  |  |  |
| 14                         | 100      | 98.2ft  |  |  |  |  |  |  |  |
| 15 Min.                    | 120      | 114.4ft |  |  |  |  |  |  |  |
| 20                         | 120      | 129.3ft |  |  |  |  |  |  |  |
| 25                         | 110      | 143.3ft |  |  |  |  |  |  |  |
| 30                         | 115      | 142.2ft |  |  |  |  |  |  |  |
| 35                         | 115      | 136.7ft |  |  |  |  |  |  |  |
| 40                         | 115      | 139.7ft |  |  |  |  |  |  |  |
| 45                         | 115      | 141.6ft |  |  |  |  |  |  |  |
| 50 Min.                    | 95       | 140.4ft |  |  |  |  |  |  |  |
| 60                         | 85       | 141.3ft |  |  |  |  |  |  |  |
| 70                         | 85       | 143.1ft |  |  |  |  |  |  |  |
| 80                         | 85       | 145.2ft |  |  |  |  |  |  |  |
| 90                         | 75       | 142.6ft |  |  |  |  |  |  |  |
| 100 Min.                   | 75       | 143.3ft |  |  |  |  |  |  |  |
| 130                        | 75       | 147.4ft |  |  |  |  |  |  |  |
| 160                        | 75       | 146.5ft |  |  |  |  |  |  |  |
| 190                        | 75<br>75 | 146.7ft |  |  |  |  |  |  |  |
| 210                        | 75       | 146.9ft |  |  |  |  |  |  |  |
| 240                        | 75       | 146.9ft |  |  |  |  |  |  |  |
| 270                        | 75       | 146.5ft |  |  |  |  |  |  |  |
| 5 Hrs.                     | 75       | 145.9ft |  |  |  |  |  |  |  |
| 6                          | 75       | 144.7ft |  |  |  |  |  |  |  |

|         | gallons per min. |              |  |  |  |  |  |  |  |  |
|---------|------------------|--------------|--|--|--|--|--|--|--|--|
| TIME    | GPM              | <b>LEVEL</b> |  |  |  |  |  |  |  |  |
| 7       | 75               | 147.5ft      |  |  |  |  |  |  |  |  |
| 8       | 75               | 147.2ft      |  |  |  |  |  |  |  |  |
| 9       | 75               | 147ft        |  |  |  |  |  |  |  |  |
| 10      | 75               | 147.5ft      |  |  |  |  |  |  |  |  |
| 11      | 75               | 147.7ft      |  |  |  |  |  |  |  |  |
| 12      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 13      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 14      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 15      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 16      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 17      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 18      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 19      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 20      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 21      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 22      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 23      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 24      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 25      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 26      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 27      | 75               | 147.8ft      |  |  |  |  |  |  |  |  |
| 28      |                  |              |  |  |  |  |  |  |  |  |
| 29      |                  |              |  |  |  |  |  |  |  |  |
| 30      |                  |              |  |  |  |  |  |  |  |  |
| 31      |                  |              |  |  |  |  |  |  |  |  |
| 32      |                  |              |  |  |  |  |  |  |  |  |
| 33      |                  |              |  |  |  |  |  |  |  |  |
| 34      |                  |              |  |  |  |  |  |  |  |  |
| 35      |                  |              |  |  |  |  |  |  |  |  |
| 36      |                  |              |  |  |  |  |  |  |  |  |
| 37      |                  |              |  |  |  |  |  |  |  |  |
| 38      |                  |              |  |  |  |  |  |  |  |  |
| 39      |                  |              |  |  |  |  |  |  |  |  |
| 40      |                  |              |  |  |  |  |  |  |  |  |
| 41      |                  |              |  |  |  |  |  |  |  |  |
| 42      |                  |              |  |  |  |  |  |  |  |  |
| 43      |                  |              |  |  |  |  |  |  |  |  |
| 44      |                  |              |  |  |  |  |  |  |  |  |
| 45      |                  |              |  |  |  |  |  |  |  |  |
| 46      |                  |              |  |  |  |  |  |  |  |  |
| 47      |                  |              |  |  |  |  |  |  |  |  |
| 48 Hrs. |                  |              |  |  |  |  |  |  |  |  |
| 56      |                  |              |  |  |  |  |  |  |  |  |
| 64      |                  |              |  |  |  |  |  |  |  |  |
| 72      |                  |              |  |  |  |  |  |  |  |  |
| 80      |                  |              |  |  |  |  |  |  |  |  |
| 88      |                  |              |  |  |  |  |  |  |  |  |
| 96 Hrs. |                  |              |  |  |  |  |  |  |  |  |

# **Recovery Data:**

feet-10ths

|          | ieer-roms    |
|----------|--------------|
| TIME     | <b>LEVEL</b> |
| 10 Sec.  | 147.8ft      |
| 20       | 145.2ft      |
| 30       | 141.5ft      |
| 40       | 138.7ft      |
| 50       | 135.2ft      |
| 60       | 131.5ft      |
| 70       | 129.2ft      |
| 80       | 128.6ft      |
| 90       | 126.8ft      |
| 100      | 124.9ft      |
| 110      | 122.3ft      |
| 2 Min.   | 121.7ft      |
| 2.5      | 118.4ft      |
| 3.0      | 117.9ft      |
| 3.5      | 116.8ft      |
| 4.0      | 115.3ft      |
| 4.5      | 113.8ft      |
| 5 Min.   | 112.3ft      |
| 6        | 110ft        |
| 7        | 108.1ft      |
| 8        | 106.6ft      |
| 9        | 105.2ft      |
| 10       | 104ft        |
| 11       | 102.9ft      |
| 12       | 102ft        |
| 13       | 101,1ft      |
| 14       | 100.3ft      |
| 15 Min.  | 99.6ft       |
| 20       | 96.4ft       |
| 25       | 93.8ft       |
| 30       | 91.8ft       |
| 35       | 89.8ft       |
| 40       | 88.4ft       |
| 45       | 87ft         |
| 50 Min.  | 84.8ft       |
| 60       | 82.3ft       |
| 70       | 80.6ft       |
| 80       | 74.2ft       |
| 90       | 68.1ft       |
| 100 Min. | 61.9ft       |
| 130      | 43.5ft       |
| 160      | 24.9ft       |
| 190      | 16.5ft       |
| 210      |              |
| 240      |              |
| 270      |              |
| 5 Hrs.   |              |
| 6        |              |
|          |              |

| SWL:  | 16.5ft | Notes: |  |
|-------|--------|--------|--|
| Date: |        |        |  |
| Time: |        |        |  |



## DEPARTMENT OF ECOLOGY

# NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

# TAKE NOTICE:

That Bronson Country Beach Club of Tenino, Washington on November 6, 2000, under Application No. G2-29958 filed for a permit to appropriate public waters, subject to existing rights, from a well in the amount of 150 gallons per minute as needed year round each year for community domestic supply. The source of the proposed appropriation is located within the NW¼ SE¼ of Section 32, T. 17 N., R. 1 W.W.M., of Thurston County, Washington.

Protests of objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from:

(Last date of publication to be entered above by publisher)

# \*NOTICE MUST BE PUBLISHED ONCE A WEEK FOR TWO CONSECUTIVE WEEKS\*

Department of Ecology, SWRO PO Box 47775 Olympia, Washington 98504-7775

ECY 040-1-1 Rev 2/79

Notice



# DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

November 20, 2000

Bronson Country Beach Club PO Box 416 Tenino WA 98589

Dear Sir or Madame:

Re: Water Right Application No. G2-29958

We have received your application for appropriation of water and it has been assigned the number referenced above. If you contact us in the future regarding this application, it will help us serve you more quickly if you refer to this application number.

Please complete the following two steps:

Enclosed is a notice of your application, which must be published <u>once a week for two consecutive weeks</u> in a
newspaper published in Thurston County. The newspaper should have general circulation in the locality where
the water is to be diverted and used, and must be qualified as a legal newspaper. Publishing the notice in a
remote part of the county, when not necessary, may be cause for you to be required to republish the notice in a
designated newspaper. The enclosed newspaper list may help you select an appropriate newspaper for the area.

Publication should start within 30 days from the date of this letter.

To assure accuracy, it is your responsibility to check the notice carefully before having it published. If you find an error, please contact this office for correction and/or resolution. If we later find an error in your public notice, you will be required to re-publish an amended notice at your expense.

After publication, the publishing newspaper should provide you with a notarized original Affidavit of
Publication, which should be forwarded to our office as soon as possible. Please do not send a photocopy of the
affidavit.


Community water systems are required to be approved by either the local health department or the Department of Health depending upon system size. If you have not already done so, we suggest that you contact either your local health department or the Department of Health, Southwest Drinking Water Operations, Thurston Airdustrial Center, Bldg 3, PO Box 47822, Olympia, Washington 98504-7822.

If you have any questions or concerns about any of this information, please call (360) 407-0240. Thank you for your attention to this matter.

Sincerely,

Water Resources Program

SC:th(publicnotice.doc)





# \*00 NOV -6 All 11

# DEPARTMENT OF HEALTH SOUTHWEST DRINKING WATER OPERATIONS

2411 Pacific Ave. • P.O. Box 47823 • Olympia, Washington 98504-7823 (360) 664-0768 • FAX (360) 664-8058 TDD Relay Service: 1-800-833-6388

September 21, 2000

Mike Harris
Department of Ecology
Southwest Regional Office
PO Box 47775
Olympia, Washington 98504-7775

Dear Mike,

Subject:

Bronson Beach Club Water System, ID #08740E, Thurston County; Public Health Priority for Water Rights Processing

I would like to bring to your attention a drinking water situation, which the Department of Health (Department) believes poses an imminent threat to public health and meets the "Emergency Rule" qualifying criteria defined by WAC 173-152-040 (1) (a). Please consider this letter as the Department's certification that the situation described meets the qualifying criteria.

The Bronson Country Beach Club is a community of 72 largely full-time residences in south Thurston County on south shore of Offutt Lake. The community is served by a dug well, approximately 10-15 feet in depth and located adjacent to the lake. The Department believes this well to be under the influence of surface water and is posing an acute health risk to the residents of the community. The water supply has been plagued by fecal coliform bacteria contamination and is in need of a new source of water.

The community is interested in drilling a new well into a confined aquifer believed to be greater than 100 feet in depth. This well is to be drilled on the existing wellsite. The Department greatly supports the efforts to replace the existing well with a new protected source.

The Department is very interested in finding a solution that can resolve the existing public health risk at Bronson Country Beach Club. If it will aid in the process, Regional Engineer Rich Hoey will be available to attend any meetings you might wish to have with the community or their engineer regarding this issue.

D CHA 18

Mike Harris Page 2 September 21, 2000

We very much appreciate your immediate attention to this situation so that the public health threat can be resolved as soon as possible. I would also appreciate receiving either a written or a verbal response indicating if this situation qualifies for expediting decision making. Please do not hesitate to contact Rich Hoey (360) 586-2510 or me (360) 753-5953 if there are any questions.

Sincerely,

BILL LIECHTY, P.E.

Bill healty

WSDOH Section Head

cc: Phil Brinker, Thurston County Environmental Health

Rich Hoey, P.E., WSDOH Regional Engineer Danny Howard, Bronson Country Beach Club

Mike Olden, P.E., Gibbs & Olson, Inc. Jim Rioux, WSDOH Regional Planner



# DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

RECEIVED

SEP 2 2 2000

DOH S.W. DHINKING WATER OPERATIONS

September 21, 2000

Jim Rioux Department of Health Southwest Drinking Water Operations PO Box 47823 Olympia WA 98504-7823

Dear Mr. Rioux:

Hear are my comments on the Bronson Beach Club Water System Plan. Rather than comment section by section, I addressed what I thought were the most important issues and referenced the appropriate sections:

- WATER RIGHT: (Page IV-3) Water Right Claim #117944 appears to be a valid claim, stating first beneficial use of water in 1914 and pre-dating the state groundwater code by some 40 years. However, the validity and quantities of a claim can only be determined by superior court adjudication, which is not likely to occur anytime soon. It is highly doubtful that the annual quantity as claimed is 840 AFY (Page VIII-2). A water right is determined by the actual amount of water put to beneficial use and in reality their perfected water right is probably in the neighborhood of 50 AFY. My recommendation is to file an application for a Water Right Permit under WAC 173-152-050, which will give them priority processing as a public health and safety issue. A Water Right Permit/Certificate will ensure a more reliable and secure water right for the system.
- ➤ CONSERVATION: (Sections II and IV) The Average Daily Demand per connection of 600 gpd is high. DOE's rule-of-thumb is 450 gpd per connection which is still generous for an average home. In order to reach a reasonable ADD, I recommend a minimum 25% conservation goal. The maximum annual quantity given on the Water Right Permit will be based on proposed use at full buildout. A projected buildout of about 100 homes would generally be allowed 50 AFY or 0.5 AFY per connection.
- ➤ GENERAL: DOE encourages going to a deeper, confined aquifer for a better and more reliable source of supply. There will also be the added environmental benefit of a reduced and buffered impact to the surface waters in the Deschutes Basin.

If you have any questions please call or email me at (360) 407-6643, ploc461@ecy.wa.gov. Also, I would be glad to assist and advise in preparing the water right application. Thank you for the opportunity to comment.

- SE 25 00

Sincerely

Pat Locke

DOE, Water Resources Program

PL:th

cc: Ri

Rich Hoey, WSDOH



# STATE OF WASHINGTON DEPARTMENT OF ECOLOGY WATER RIGHT CLAIMS REGISTRATION

| WATER RIGHT  | CLAIM ON NOV. 1-6.4/11:17  |
|--|--|
| 1. NAMEOffitt Lake Properties  | RECEIVED DEPARTMENT OF ECOLOGY   |
| ADDRESS Bldg. C-10, Fishermen's Terminal   | Jun 1 474 1 2,3 9 3 2  |
| Seattle, Weshington CODE 02110   | CASH_OTHER_NONE  |
| 2. SOURCE FROM WHICH THE RIGHT TO TAKE AND MAKE USE OF WA  | (SURFACE OR GROUND WATER)  |
| A, IF GROUND WATER, THE SOURCE IS a_well   | (LEAVE BLANK)  |
| B. IF SURFACE WATER, THE SOURCE IS   |  |
| 3. THE QUANTITIES OF WATER AND TIMES OF USE CLAIMED:   |  |
| A. QUANTITY OF WATER CLAIMED 100 G. F.M.   | PRESENTLY USED 100 G. P.M. COND OR GALLONS PER MINUTE)   |
| B ANNUAL CHANTITY CLAIMED 840  | PRESENTIVUSED 100  |
| (ACRE FE   | PRESENTLY IRRIGATED  |
|  |  |
| D. TIME(S) DURING EACH YEAR WHEN WATER IS USED: all year   | A CONTRACTOR OF THE PARTY OF TH |
| 4. DATE OF FIRST PUTTING WATER TO USE: MONTH   |  |
| 5. LOCATION OF THE POINT(S) OF DIVERSION/WITHDRAWAL: 2,  | 000 FEET north AND 1,400   |
| FEET west FROM THE southeast   | CORNER OF SECTION  |
| BEING WITHINGOV. Lot 6OF SECTION IF THIS IS WITHIN THE LIMITS OF A RECORDED PLATTED PROPERTY.  | į,   |
| (GIVE NAME OF PLAT OR ADDITION)  6. LEGAL DESCRIPTION OF LANDS ON WHICH THE WATER IS USED:   | Plats of Offut Lake and Bronson Country  |
| Complete legal description on attached   |  |
|  |  |
|  |  |
|  | -  |
|  | OUNTY Thurston   |
| 7. PURPOSE(S) FOR WHICH WATER IS USED:   |  |
| 8. THE LEGAL DOCTRINE(S) UPON WHICH THE RIGHT OF CLAIM IS BA   | SED: Appropriation   |
| THE FILING OF A STATEMENT OF CLAIM DOES NOT CONSTITUTE AN ADJUDICATION OF ANY CLAIM TO THE RIGHT TO USE OF WATERS AS BETWEEN THE WATER USE CLAIMANT AND THE STATE OR AS BETWEEN ONE OR MORE WATER USE CLAIMANTS AND ANOTHER OR OTHERS. THIS ACKNOWLEDGEMENT CONSTITUTES RECEIPT FOR THE FILING FEE. WILLIAM J. VOTWORK, Jr., Madeline E. VOTT DATE RETURNED PHIS HAS BEEN ASSIGNED OIR HETSOY, WILLIAM J. M. KINNUNG, TERMINAL AND MACHINED THE BOTT HE CAME ASSIGNED TO THE MACHINED THE BOTT HE CAME ASSIGNED TO THE MACHINED TO THE BOTT HE CAME ASSIGNED TO THE MACHINED TO THE BOTT HE CAME ASSIGNED TO THE MACHINED TO THE BOTT HE CAME ASSIGNED TO THE MACHINED TO THE BOTT HE CAME ASSIGNED TO THE MACHINED TO THE MAC | come William Brasier, Garry Hergey, Pa   |
| DIRECTOR - DEPARTMENT OF ECOLOGY   | ADDITIONAL INFORMATION RELATING TO WATER QUALITY AND OR WELL CONSTRUCTION IS AVAILABLE   |

A FEE OF \$2.00 MUST ACCOMPANY THIS WATER RIGHT CLAIM

ORIGINAL DWR

RETURN ALL THREE COPIES WITH CAPBONS INTACT ALONG WITH YOUR FEE TO DEPARTMENT OF ECOLOGY WATER RIGHT CLAIMS REGISTRATION P.O. BOX 829 OLYMPIA WASHINGTON 98501

### SCHEDULE A

### LEGAL DESCRIPTION

In the County of Thurston, State of Washington, Lots 1, 2, 3, 9 and 10 in Block 3; Lots 4, 5, 6, and 7 in Block 2; Lote 3, 4, 5, 6, 7, 8, 9, 10, 11 and 12 in Block 4; All of Blocks 5, 6, 11 and 12 and All of Block 13 EXCEPT Lot 7, Plat of Offut Lake, according to the Plat thereof recorded in Volume 8 of Plats, page 39, records of said county. Also that portion of government Lot 6, Section 32, Township 17 Horth, Range 1 West W.L. lying northerly of Lake Avenue easterly of a line, running northerly 9° 3' west from a point on the north line of Lake Avenue as shown on the Plat of Offut Lake according to the Plat thereof recorded in Volume 8 of Plats, page 39, which point in 80° 57' cast 512 feet from the northwesterly corner of said plat of Offut Lake and went of a line running north 9° 3' west from a point on said Lake Avenue which is north 80° 57' east 570.36 feet from said northwesterly corner; TOGETHER with shorelands of the second class adjoining; also that portion of government Lot 6, Section 32, Township 17 North, Range 1 West W.M. lying north of the north line of the .C.M., St. Paul and Pacific Railroad Company right-of-way, described as follows:Beginning at a point 165 feet east of the southwest corner of daid government Lot 5; running thence east along the south line of said government Lot, 212.31 feet to the west line of Bryant Street; thence north 10° 45' east along said westerly line to an intersection with the north line of Second Avenue, as platted in Offut Lake, according to the plat thereof recorded in Volume 8 of Plats, page 39, \*\*Nexted westerly; thence west to a point 185 feet east of the west line of said government Lot 6, extended northerly; thence south parallel with said west line to the point which is 165 feet east as measured at right angles from the west line of said government Lot 6, extended northerly; thence south parallel with said west line to the point which is 165 feet east of the south parallel with said west line to the point which is 165 feet east and feet south parallel with sa

RECEIPT

Printed By: Dawn Merryman On: 11/07/2000 At: 03:47 pm

Department of Ecology

(4610)

PO Box 5128

Lacey, WA 98509-5128

(360) 407-7095

FM 17

Date 11/08/2000

**BRONSON COUNTRY BEACH CLUB** 

Current Document Number 461E2048CJ

Remitter Name

Receipt Name

Check/Draw Number

Document Amount

Check Method of Payment

Sub Sid Cr Sub Sid Sub Sub Var Obj Sub GL Obj Sub Prj Prj Phs Prj Org Ā PIC Cnty Work Cls

Sub

Fund Maj Maj Grp Src

ď

Prgm

₽≥

l N ż

Ref Doc

Ref Doc

Sfx

0000010

82 05

00

00

H00 8

\$10.00


Alloc

RECEIVED

Department of Ecology Washington State

\$10.00

Comment Description WATER RIGHTS



Q + = till (clay scands


Oss = older glacial

Qur = younger glacial
gravel

Qual = younger glacial gravel
(Moraine)

Qual = recent sedimentary
Apposits

To a bedrock logardstone or basalt



# WEEKENDER

# Bronson's Resort once lured young, old alike to Offut Lake

By PA1 CHRISTENSEN
Of The Chronicle Staff
Winthrop Lord (Win) Bronson
combined his love for people and
love of nature into a successful
venture that lasted five decades and'
brought countless hours of pleasure
to thousands of people of all ages.
In 1914 he purchased the townsite
of Offut from the Corlett and
Milwaukee railroads. The railroads
wanted Win to start a resort for their
excursion trains. The property was
located five miles northeast of
Tenino on Offut Lake, about halfway
between Seattle and Portland.
Shortly thereafter, with the help of
a carpenter by the name of "Gus",
he built a cottage, boathouse and
dance pavillion with lumber hauled
from Centralia by a team of horses
driven by Clarence Ives of Tenino.
Property grading was done by Tom
Richards, who later become mayor of
Tenino from 1927 to 1958. Boats were

made on the beach from spruce lumber with tarred seams. On May 10, 1915, Win and his wife, Lola, opened Bronson's Offut Lake Resort. Their son, Don Bronson,

Their son, Don Bronson, remembers growing up during the heyday of the resort. "Dad was a warm generous person," he said. "He had a tremendous feeling for the place. He cared about people.
"People came considerable distance by horse and wagon for weekend camping. They were wonderful family get-togethers," he said. "A guy might have a couple of drinks and buy the kids cones, It was good fun. Fishing was excellent. There was lots of family picnicing and swimming.

"We rented swimming suits. The cotton ones would cling. The women wore stockings and looked like drowned rats. Then we got wool suits and they were better."

Also, excursion trains came from Tacoma. People would arrive at four or five in the morning. From the train they would walk through the woods down a trail made of sawdust to the resort.

resort.

In addition to the picnic and swimming areas, the resort had the largest dance hall around. Dance music was provided by a six-piece local orchestra and later bands were hired by the month. Large name bands, touring the state from 1920 to 1930, would stop for one night stands.

stands.

"Fifty years doesn't seem like such a long time since the wonderful music of the 20s and 30s sounded out over the water of Offut Lake with such songs as 'Stardust,' 'Melancholy Baby' and 'Valencia'," Don Bronson said.

"Some of the musicians rented cottages at the lake; They would

# History

practice and work up novelty num-bers, which were enjoyed by all," he

practice and work up novelty numbers, which were enjoyed by all," he said.

The dances were in the open 'jitney dances'. Jitney dances cost a nickle a ticket. You purchased a ticket for each dance. When a melody ended, the floor was cleared for the next dance and another partner. "It was really a good way to mix a crowd," he said. At one time Ed Mayes, who later became owner of the Dodge Company in Centralia from 1934 to 1962, was floor manager. In 1930, the dance pavilion burned. Then the resort began catering to family and school picnics and fishing. About 50 schools participated in the picnics. "Although they were a little hard on the equipment, the boat and canoe rentals were great and enjoyed by all." Don Bronson said. "The kids were not hostile to management. Also, the leachers had better control over them. In later years the larger schools became destructive," he said.

over them. In later years the larger schools became destructive," he said.

Later the boathouse building was refloored and people started dancing to music from the juke box. They danced to recordings by Glenn Miller, Artie Shaw and Guy Lombardo. A dance was held every Friday night for the teen-agers. "Frank Tamblyn, one of the sheriffs during the 40s said he was glad because he always knew where all the kids were on Friday night," he said.

Teen-age dancing was discontinued and square dancing was started early in the 1950s. This business encouraged Don Bronson to build a trailer park in 1962.

W.L. (Win) Bronson lived until 1967 to the age of 91. "The resort was a family affair with everybody having to be on hand for busy weekends," said Don Bronson. He and his wife, Phyllis, carried on the family tradition until the resort was sold in 1969.

Then the property became a development area with lots for sale with access to the community beach and remaining buildings of the resort.

Win's wife, Lola, still lives in her

resort.

Win's wife, Lola, still lives in her home on the shores of Offut Lake with her son, Don, and his wife, Phyllis, and remembers when thousands of people spent many happy hours at Bronson's Offut Lake Resort.



THESE WOMEN enjoy the swimming and offered by the Offut Lake resort. The pho

# Inside the Weekender

| Canine capers  |  |  |  |  |  |  | 2 |
|----------------|--|--|--|--|--|--|---|
| Television     |  |  |  |  |  |  |   |
| Cooking        |  |  |  |  |  |  |   |
| Old photograp  |  |  |  |  |  |  |   |
| Postal hobby . |  |  |  |  |  |  | 6 |
| Veteran writer |  |  |  |  |  |  |   |

BUSINESSOF

# ATTRACTIVE SUMMER RESORT AT OFFUT LAKE WILL OPEN TO PUBLIC ON JUNE 1

New Spot for Cottagers and Campers on Milwaukee's Grays Harbor Branch Will Have Fine Fishing, Boating and Bathing Facilities.

Tacoma and Southwest Washington will this year have a new summer resort at which to spend week-ends or entire vacation periods—a beautiful place being erected, so to speak, on the shores of Offut lake, 42 miles from this city on the Grays Harbor branch of the Milwaukee. Work was commenced January 1 by W. L. Bronson and T. H. Mc-Lafferty of Tenino and the resort will be thrown open June 1 with a score of things ready for the resorter or camper. The resort is being placed on 60 acres of land, or a waterfront on the lake one, mile long—its full length—and three-tourths of a mile wide. Bronson and Lafferty bought 210 acres originally, but 50 of these are for the townsite of Offut Lake and 100 acres are being platted into five-acre tracts for sale. The Milwaukee is planning the erection of a rustic depot for the lake station.

Features of Resort.

Features of Resort.

Features of the new resort will include one of the largest outdoor dancing floors of high quality ever laid in the Northwest; 12 small one and two-room cottages; 12 tents, furnished or unfurnished, as desired; a large boat house and refreshment pavilion, centaining also 18 dressing rooms for women bathers; a both house for men containing 20 rooms; a large public park; plenic grounds, with concrete stoves and rustic seats. innumerable; children's playground, with swings and other devices. The investment of the promoters represents \$3,000. For a site they chose the pretty little Offut lake, whose mirror-like surface reflects the image of Alount Theoma and which teems with splendid trout and perch. There are now 20,000 trout in the lake and 30,000 more are to be planted in April. Five minutes' walk from the lake is the Deschutes river, one of the best streams in the Northwest for fly-casting and an

annual retreat of hundreds of fisher-

men.

In general the grounds surrounding the take will be divided into roadways and paths banked by stones, with rustic seats in shady spots. The dancing floor will be 62 by 112 feet. At the boat nouse will be 30 new spruce hoats, with simple-driven motors that can be attached to each or not, and a powerful launch for touring the lake. Along the shore will be a sandy slope of 30 or 40 feet for the bathers and three chutes into the water, one being very small, for the children. A diving float will be placed 300 yards out in the water. Several fishing platforms are to be constructed on huge logs projecting into the lake. the lake.

Camping Sites Free!

Camping sites and a wharf for boats will be given free to all who wish. Water is to be furnished from four excellent springs on the ground, and next year it is planned to run water pipes to each home.

cach home.

Four cozy little cottages with stone fireplaces have been almost completed thus far, in addition to McLafferty's own tent-house. Those finished are for H. E. Stone of Tenino, R. C. Stanley of Centralia, W. E. Bronson of Olympia and O. T. Wedmark of Centralia. Contracts have been let for cottages for R. H. Laffollette of Chehalis, E. Larson of Tenino, S. Matson of Centralia and H. N. Linscomb of Tenino.

The promoters of the resort have reserved a strip 600 by 1,200 feet on one side of the lake, where it is proposed to ask the Centralia and Chehalis Autoclubs to creet a clubhouse next year. Near by the lake, also, is an excellent location for a golf course.

Because of the nearness of the lake resort to Tacoma and its trade territory. Bronson and McLafferty expect to draw a large travel this summer.

a large travel this summer.


NEW OF



A view of the women's bathing h This or woman seeking

RUSTICS

IRON CELL DOORS FROM TERRITORIAL PENITENTIARY USED IN CRUMBLING LOG CABIN SOON TO BE RAZED




MULVANE.)

LAKE SUMMER RESORT ALONG WATER FAMOUS FOR FISHING, WILL BID FOR TACOMA TRADE



ng on at Offit lake on the big summer resort to be opened there June 1. The boat house and seen in the foreground, and to the left are four new cottings built by Southwest Wassington ig only 12 miles from Tacoma, will bid this year for Tacoma picnics as well as for the man pot in which to fish and rest.

# ER HOME BUILT BY BUSINESS MAN FOR LEASURE HAS FEW EQUALS IN BEAUTY OF ITS TYPE



er home, build these rust c places. In fact, he house are form on the probably wouldn't build inother unless this stairway he had planty or spare time and the incompany, done in rustic work here. Aside from hours sleep a the little two-story home, there is a dark and at large darking and outdoor dining room.

tormed; of twisted boughs. A why leads up to the "sheep erestoos numerous all-night we been crowded in for a few been crowded in for a rew after a late session on the

# Natural Ma John Re ing Will

From informat

From in ormat lats to the Natimay expect to 1 hotel to be erect new site, to le le of the Clouds la whose Hest stor whose second struste offect. It is not dec will have one Daniels, superin barks, is drawithave them here weeks, and community there in abundanterials of cogone to Fayette parents and expeor more.

First Unit of Tho new Research was a few or well as the bedriver with the learnest and expeor more.

or more.

First Unit o

Tho new Richedrawn with coings on the related the matter of th

rist Unit of
The new Rese
be drawn with cer
ings on the plang
definite locations
hotel as a center
Martin, secretary
mittee, who atten
national park su
terior department
Cal., recently. T
first unit, therefo
plete remodeling a
national park. I
every single sara
what size, will be
in the park and
for it which the
rire will have to
tions will be allow
This remodeling
the interior depart
heantifying all the
nod making the
lic to visit, and
rirst work of the
Yosemite Nationa
park buildings ar
rangement similar
main hotel as the
tages the public
harber shop, etc
placed by the ma
the completed gre-

TOILET

South America Is

WASHINGTON, Soap manufacture